



Website: www.zips.com | Contact Us: 800-222-6047

2016 Equipment & Chassis, Kenworth T800 Twin Steer, NV13060

Stock Number: NV13060
Year: 2016
Make: Kenworth
Model: T800 Twin Steer
Engine Make: Cummins
Engine Model: ISX15
Horsepower: 560
Fuel Type: Diesel
Mileage: 1,895
Transmission: Eaton Fuller RTLO18918B 18 Speed
Axle Ratio: 3.91
Drive Axles: 2
Number of Rear Axles: 2 + Pusher
GVWR: 110,500#
Front Axle Weight Rating: 20,000# Each
Rear Axle Weight Rating: 18,500# Pusher, 26,000# Each Rear
Wheel Base: 343"
Brake Type: Air Brakes
Engine Brake: Yes
Suspension: Hendrickson HN Series Springs
Tires: Front Tires: 425/65R22.5 (Bridgestone), Pusher Tires: 385/65R22.5 (Bridgestone), 1st Rear Tires: 12R24.5 (Bridgestone), 2nd Rear Tires: 12R24.5 (Bridgestone)
Wheels: Aluminum
VIN #: 1NKDX4TX6GR105711
More Chassis Features:



Dealer Chassis Spec - [NV13060](#)

Air Compressor/Air Conditioning/Air Horns/Air Dryer
 AM/FM/CD Stereo Radio
 Vinyl Air Ride High Back Driver Seat w/Arm Rests
 Vinyl Air Ride High Back Passenger Seat w/Arm Rests
 Power Windows/Door Locks
 Cruise Control
 Tilt/Telescopic Wheel
 Rubber Flooring
 Chrome Bumper/Grille
 Sunvisor
 Rubber Fenderettes
 Power/Heated Swing Out Mirrors w/Convex Mirrors
 RH Down View Mirror, RH Peep Window
 LH Cab Mounted Spot Light
 LH 110 Gallon Aluminum Fuel Tank
 Single Vertical Exhaust Stack
 Remote Keyless Entry
 Cobra 29 WX NW ST CB Radio
 Engine Block Heater
 Cab Roof Marker Lights
 Color: WHITE

Stock Number: NV13060

More Body Features:

SN: 1150R-0017-B15
 Lumiteck boom scene lamp
 30" aluminum tunnel box
 LED flex lamp kit
 Whelen 72" LED lights
 LED strip light kits
 4 drawer tool cabinet
 Volvo frame axle fork kit
 Chain hook adapter kit
 extension fork adapter kit

U-bolt lift adapter kit
 Quick connect air supply
 Kenworth tandem steer skirt
 Kenworth navigation camera harness
 Kenworth dummy stack
 "H" beam outrigger covers
 Chain rack carousel
 Manual override kit
 Dual monitor camera kit
 Large H-beam foot upgrade
 22,000 lbs. side winch dress up kit
 Driver side manual controls
 MMO power distribution system
 Pressure gauges
 Hour meter
 Hydraulic pump
 Front top beam outriggers
 4 stage rear outriggers,
 2 position house lock
 1 set tailboard D-rings
 Safet chain and rear pockets
 Air and electrical hook ups
 Aluminum modular body with rubber mounting isolators
 House lock window
 LED body lighting
 LED tool compartment lighting
 Gas door shocks
 Chrome double action latches with remote lock
 Aluminum tread plate walkway
 Mud flaps
 3 stage boom
 360 degree continous boom rotation
 Power elevation
 Power extension
 360 sheave head
 Boom mounted
 D-rings and cam locks
 Cable tie backs
 Dual 50,000 lbs 2 speed planetary winches
 Cable tensioners
 Winch air free spool
 SDU-4
 Power tilt
 Hydraulic fold
 3 stage design
 8 function wireless remote with charging/docking station
 Low profile 70 degree pivoting heavy duty fabricated crossbar
 Low profile fork holders
 9 sets of cast steel forks (short grab fork, 3" short, medium and tall, 4.5" short, medium, and tall, 6" short offset , round axle fork)
 Pivot spring lift adapters
 Chain hook end caps
 Fork riser brackets
 Retracted Boom 100,000 lbs
 Extended Boom 22,000 lbs
 Hydraulic Boom Ext 248"
 Max Hook Height 481"
 Boom Angle 66 Degrees Dual Planetary Winches 50,000 lbs Cable 3/4" X 250
 IWRC
 Tow Rating 80,000 lbs Retraced Underlift 55,000lbs
 Extended Underlift 17,000 lbs Tilt Arc 20 deg +/-

1150R

The technology on the 1150R allows the boom to travel 60" utilizing a self cleaning roller system that requires minimal lubrication.

While all information contained in this literature and other advertising has been obtained from sources deemed reliable, neither Zip's Truck Equipment, Inc., or its owners or agents, shall be liable for the correctness of descriptions. This brochure, as in all printed matter regarding this sale, is merely a guide and subject to additions or deletions. All purchases are based entirely on the personal inspections and/or opinion of the buyer.

9/9/2015

2016 Equipment & Chassis, Kenworth T800 Twin Steer, NV13060

its owners or agents, shall be liable for the correctness of descriptions. This brochure, as in all printed matter regarding this sale, is merely a guide and subject to additions or deletions. All purchases are based entirely on the personal inspections and/or opinion of the buyer. Please note there are no warranties expressed or implied on used vehicles.