

TRIPLE BAR TYPE

DIMENSIONS: 14-1/2" L. x 2-1/2" W. x 1-1/4" H. Two 15/64" mtg. holes on 8-1/2" centers. Lamps 6" apart.

MATERIAL: Aluminum bar, ABS plastic housing and acrylic lens.

FINISH: Aluminum

ORDER NO.:

038-00-012 Amber, Triple Marker, 3 C.P. Bulbs

038-00-022 Red, Triple Marker, 3 C.P. Bulbs

REPLACEMENT PARTS

12V BULB

168

LENS

20078-1 or 2 (Amber, Red)

FEATURES: Wedge base bulbs, twist off lens, low profile 1-1/4" high, all corrosion proof materials, pre-wired, easier to install.



038-00

STREAMLINE CAB TYPE

DIMENSIONS: 2-1/2" W. x 8-1/2" L. x 2" H. Two 17/64" sq. mtg. holes on 4-3/16" centers.

MATERIAL: Steel body & base, acrylic lens, zinc plated steel socket, stainless steel & nylon pigtail, sponge rubber mtg. and lens gaskets.

FINISH: Chrome

ORDER NO.:

039-75-312 Amber, Flat Base, 4 C.P., PC Rated Marker

039-75-322 Red, Flat Base, 4 C.P., PC Rated Marker

REPLACEMENT PARTS

12 V BULB

67

LENS

03904-1 (Amber)

03904-2 (Red)

LENS GASKET

03905

PIGTAIL

14801-0BK

MISC.

03916-85 Housing.

03903 Mtg. Gasket



039 series

STAINLESS STEEL

DIMENSIONS: 2-1/4" W. x 4-1/4" L. x 1-5/16" H. (Lo-Boy model 15/16" H.) Four 3/16" mtg. holes on 3-9/16" x 1-1/2" centers, alternate mounting two 13/64" X 17/64" slots on 3-3/64" centers.

MATERIAL: Stainless steel rim, back & socket, acrylic lens, sponge rubber lens gasket, asphalt impregnated felt mounting gasket.

FINISH: Stainless Steel

ORDER NO.:

048-04-312 Amber, Marker, Flush Mtg., Single Bulb

048-04-322 Red, Marker, Flush Mtg., Single Bulb

048-75-312 Amber, Marker, Flush Mtg., Two Bulb "Lo-Boy"

048-75-322 Red, Marker, Flush Mtg., Two Bulb "Lo-Boy"

REPLACEMENT PARTS

MODEL

048-04
048-75

**12V
BULB**

67
1895

LENS

20042-1 or 2 (Amber, Red)
20045-1 or 2 (Amber, Red)

PIGTAIL

14712-0BK
14712-0BK

**RETAINING
RIM**

25531-000
25531-000

048 series



Lo-Boy
Lens

ALUMINUM DIE CAST - ARMORED

DIMENSIONS: 2-1/16" W. x 5-7/8" L. x 1-1/2" H. Two 1/4" holes on 4-3/8" centers or four 13/64" holes on 3-7/8" x 13/16" centers.

MATERIAL: Aluminum die cast housing, aluminum base, acrylic lens, volara mtg. and felt lens gasket.

FINISH: Plain Aluminum

ORDER NO.:

050-04-512 Amber, Flush Armored 4 C.P. Marker

050-04-522 Red, Flush Armored 4 C.P. Marker

REPLACEMENT PARTS

12V BULB

67

LENS

04604-1 or 2 (Amber, Red)

GASKET

22054 lens
22053 mtg.

PIGTAIL

14712-0BK

FEATURES: Mounts without disassembly, stainless steel socket.



050-04

051 series



DIMENSIONS:
MATERIAL:
FINISH:
ORDER NO.:
051-00-712
051-00-722
051-76-712
051-76-722

LOW-PROFILE 2" X 4" LAMP
2" W. x 4" L. x 1" H. Two 13/64" mtg. holes on 3" centers.
ABS plastic base, acrylic lens, s.s phos.-bronze socket.
White

MODEL
2 bulb 051
1 bulb 051
FEATURES:

Amber, PC Marker, Two 2 C.P. Bulbs All Plastic
Red, PC Marker, Two 2 C.P. Bulbs All Plastic
Amber, PC Marker, One 3 C.P. Bulb, All Plastic
Red, PC Marker, One 3 C.P. Bulb, All Plastic

REPLACEMENT PARTS

12V BULB

1895

168

LENS

20062-1 or 2 (Amber, Red)

20062-1 or 2 (Amber, Red)

Non-ferrous throughout, "flow-thru" design.

052 series



DIMENSIONS:
MATERIAL:
FINISH:
ORDER NO.:
052-00-712
052-00-722
052-75-712
052-75-722

SEALED LAMP
11/16" W. x 4-1/2" L. x 1-1/16" H. Two 1/4" dia mtg. holes on 4" centers
ABS plastic housing, acrylic lens, brass contacts, grommet molded to wire assembly.
White

Amber, Sealed Marker, PC Rated, 2 C.P.
Red, Sealed Marker, PC Rated, 2 C.P.
Amber, Lamp Without Pigtail
Red, Lamp Without Pigtail


REPLACEMENT PART

PIGTAIL

14718

FEATURES: Quick disconnect wire assembly, Corrosion-proof, Sonically sealed throw away light.

053-00



DIMENSIONS:
MATERIAL:
FINISH:
ORDER NO.:
053-00-012
053-00-022

CAB MARKER LAMP
2-3/4" W. x 4-5/16" L. x 1-7/8" H. Two 3/16" mounting holes on 1-1/2" centers..
Aluminum base, acrylic lens, zinc plated steel socket, stainless steel & nylon pigtail, sponge rubber mounting and lens gasket, stainless lens screw.
Aluminum

Amber, 4 C.P., PC Rated Marker
Red, 4 C.P., PC Rated Marker

REPLACEMENT PARTS

12V BULB
67

LENS

20068-1 or 2 (Amber, Red)

PIGTAIL

14801-0BK

MTG. GASKET

22100

FEATURES: Mounts on curved surfaces (12" radius min.). Gasket included.

054-00



DIMENSIONS:
MATERIAL:
ORDER NO.:
054-00-712
054-00-722
054-02-112
054-02-122

2-1/2" DIAMETER-SINGLE BULB
054-00: 2-1/2" dia. x 15/16" H. Two 13/64" mtg. holes on 1-5/16" centers. **054-02:** 3-1/4" dia. x 1-1/2" H. Mounts in a 2-25/32" dia. hole
Acrylic lens, ABS housing, phosphorus bronze contacts.
054-02: Black vinyl grommet.

Amber, White Finish, Marker Only With Pigtail
Red, White Finish, Marker Only With Pigtail
Amber, Black Finish, Marker-Fruehauf Replacement w/ Grommet
Red, Black Finish, Marker-Fruehauf Replacement w/ Grommet

REPLACEMENT PARTS

12V BULB
168

LENS

20078-1 or 2 (Amber, Red)

GROMMET (054-02 Only)

90388

FEATURES: All plastic design, heavy duty shock protected bulb, side or rear wire exit, completely non-ferrous throughout, "Flow-thru design...moisture can't be trapped behind lamp. Twist-off lens, wedge base bulb, shock mounted, corrosion proof, Positive Moisture Seal, Fruehauf replacement lamp (054-02) contains 2 bullet receptacle terminals.

054-02

ARMORED TYPE

DIMENSIONS: **055 series:** 2" x 4-1/2" x 1-1/2" H. Two 1/4" mtg. holes on 4" centers. **056 series:** 1-3/4" x 4-1/2" x 1-1/4" H. Two 1/4" mtg. holes on 4" centers.

MATERIAL: Steel or aluminum housing, non-ferrous electric system sponge rubber lens gasket, polycarbonate lens, molded rubber wire grommet.

FINISH: Gray or Aluminum

ORDER NO.:

055-00-512 Amber, Steel, One 12V Bulb, 4 C.P. #67
055-00-522 Red, Steel, One 12V Bulb, 4 C.P. #67
055-06-512 Amber, Steel, Two 12V Bulbs, 2 C.P. #1895
055-06-522 Red, Steel, Two 12V Bulbs, 2 C.P. #1895
055-75-012 Amber, Aluminum, One 12V Bulb, 4 C.P. #67
055-75-022 Red, Aluminum, One 12V Bulb, 4 C.P. #67
055-76-012 Amber, Aluminum, Two 12V Bulbs, 2 C.P. #1895
055-76-022 Red, Aluminum, Two 12V Bulbs, 2 C.P. #1895
056-00-512 Amber, Steel, One 12V Bulb, 3 C.P. #168
056-00-522 Red, Steel, One 12V Bulb, 3 C.P. #168
056-06-512 Amber, Steel, Two 12V Bulbs, 2 C.P. #1895
056-06-522 Red, Steel, Two 12V Bulbs, 2 C.P. #1895
056-75-012 Amber, Aluminum, One 12V Bulb, 3 C.P. #168
056-75-022 Red, Aluminum, One 12V Bulb, 3 C.P. #168
056-76-012 Amber, Aluminum, Two 12V Bulbs, 2 C.P. #1895
056-76-022 Red, Aluminum, Two 12V Bulbs, 2 C.P. #1895

REPLACEMENT PARTS


LENS	LENS GASKET	PIGTAIL
20079-1 or 2 (Amber, Red)	22106	14712-0BK

FEATURES: Mounts w/o disassembly, PC rated, Side or rear exit, surface mtg. Sponge rubber mounting gasket 22108 available on special order. It is 1/8" thick for mounting on irregular surfaces.

055/056 series



055



056

THINLINE MARKER

DIMENSIONS: 5" L. x 25/32" W. x 1-1/8" H. Two 1/4" mtg. holes on 4" centers.

MATERIAL: White ABS plastic base, acrylic lens; zinc plated phos-bronze contacts.

FINISH: White

ORDER NO.:

057-00-712 Amber, PC Rated, 3 C.P. Bulb Marker
057-00-722 Red, PC Rated, 3 C.P. Bulb Marker

REPLACEMENT PARTS

12V BULB	LENS
168	20087-1 or 2 (Amber, Red)

FEATURES: All plastic, completely non-ferrous, 25/32" thin. Snap on lens, Fits anywhere, Shock mounted wedge base bulb, Branches "ski-jump" over lens.



057-00

GUARD BRACKET FOR 058


DIMENSIONS: 4-1/8" L. x 1-9/16" W. x 1-17/32" D. Two mounting holes, 13/64" dia., 3-5/8" apart.

MATERIAL: Steel

FINISH: Zinc Plated

ORDER NO.:

064-00-800 Guard Bracket for 058



058 00-112



Mounting Gasket
5/16" Thick

22160

SURFACE MOUNT/FREUHAUF REPLACEMENT

DIMENSIONS: 4-1/8" L. x 1-11/32" W. x 1-15/32" H. Two 13/64" mtg. holes on 3-5/8" centers.

MATERIAL: ABS plastic base and acrylic lens, phos-bronze contacts.

ORDER NO.:

058-00-112 Amber, Black Finish, 3 C.P.
058-00-122 Red, Black Finish, 3 C.P.
058-00-412 Amber, Yellow Finish, 3 C.P.
058-00-422 Red, Yellow Finish, 3 C.P.
058-00-712 Amber, White Finish, PC Marker, 3 C.P.
058-00-722 Red, White Finish, PC Marker, 3 C.P.
058-99005 Red, Black Finish, Wayne School Bus Marker w/ Mtg. Gasket
058-99006 Amber, Black Finish, Wayne School Bus Marker w/Mtg. Gasket

REPLACEMENT PARTS

12V BULB

168

LENS

20094-1 or 2 (Amber, Red)

LEAD WIRE

14849-0BK

FEATURES:

All above lamps are available with a lead wire, change the (-00-) to (-75-) when ordering. 22160 Mtg. Gasket for curved & irregular surfaces.



059-00-712

PLASTIC ARMORED LAMP

DIMENSIONS: 2-1/16" W. x 5-7/8" L. x 1-1/2" H. Two 1/4" holes on 4-3/8" centers or four 13/64" holes on 3-7/8" x 13/16" centers.

MATERIAL: ABS plastic housing, aluminum base, acrylic lens, felt lens gasket and volara mounting gasket. (059-99000) Lexan lens. White

FINISH:

ORDER NO.:

059-00-712 Amber, Flush Armored, 4 C.P.
059-00-722 Red, Flush Armored, 4 C.P.
059-99000 Amber, Side Turn Signal, 21 C.P.

REPLACEMENT PARTS

MODEL NUMBER **12V BULB**

059-00 67

LENS

04604-1 (Amber)
04604-2 (Red)

HOUSING

25041-7

LENS GASKET

22054

PIGTAIL

14712-0BK

059-99000 921

20136-1 (Amber)

25041-7

22054

14842-0BK


MOUNTING GASKET: 22053

FEATURES: Mounts without disassembly, Aluminum base, Universal Mtg., High impact plastic housing.

062/063



062



063

ARMORED LENS MARKER

DIMENSIONS: 6" L. x 2" W. x 1" H. Two mtg. holes in base 3" apart. Two optional mtg. holes in lens 4-13/16" apart.

MATERIAL: White ABS plastic base, "Lexan" polycarbonate lens for 062, acrylic lens for 063, stainless steel and phosphorus bronze socket.

FINISH:

ORDER NO.:

062-00-712 Amber, Lexan Armored Lens Clearance Lamp, Two 2 C.P. bulbs, All Plastic.
062-00-722 Red, Lexan Armored Lens Clearance Lamp, Two 2 C.P. bulbs, All Plastic.
063-00-712 Amber, Acrylic Reflectorized Clearance Lamp, Two 2 C.P. bulbs, All Plastic.
063-00-722 Red, Acrylic Reflectorized Clearance Lamp, Two 2 C.P. bulbs, All Plastic

REPLACEMENT PARTS

MODEL

062

063

12V BULB

1895

1895

LENS

20115-1 or 2 (Amber, Red)

20116-1 or 2 (Amber, Red)

REFLECTORIZED MARKER

DIMENSIONS: 2" W. x 4" L. x 1" H. Two 13/64" mounting holes on 3" centers.

MATERIAL: Polypropylene plastic base, acrylic lens, stainless steel phosphorus bronze socket.

FINISH: White

ORDER NO.:

065-00-712 Amber, Two 2 C.P. Bulbs
065-00-722 Red, Two 2 C.P. Bulbs
065-75-712 Amber, One 3 C.P. Bulb
065-75-722 Red, One 3 C.P. Bulb

REPLACEMENT PARTS

MODEL	12V BULB	LENS
065-00	1895	20133-1 or 2 (Amber, Red)
065-75	168	20133-1 or 2 (Amber, Red)



065 Series

RECTANGULAR - TWO BULB LAMP

DIMENSIONS: 2" W. x 4" L. x 1-1/8" H. Two 3/16" dia. mounting holes 3" apart

MATERIAL: Plastic base, acrylic lens, and steel, zinc plated socket half.

FINISH: White base

ORDER NO.:


066-75-712 Amber, Two 2 C.P. Bulbs, Marker Lamp, Plastic Base
066-75-722 Red, Two 2 C.P. Bulbs, Marker Lamp, Plastic Base

REPLACEMENT PARTS

12V BULB

LENS	1895	20139-1 or 2 (Amber, Red)
------	------	---------------------------

FEATURES: Shock absorbing socket, snap on lens. Mounting gasket available, order part number 22174.



066 Series

2-1/2 " DIAMETER SEALED LAMP

DIMENSIONS: 2-1/2" dia. x 3/4" high sealed lamp. **Grommet:** 3-3/16" dia. x 1-3/8" H. Mounts in 2-25/32" dia. hole. **Recessed Grommet:** 3-5/8" dia. x 7/8" H. Mounts in a 3" dia. hole.

MATERIAL: "Lexan" polycarbonate lamp with vinyl grommet.

FINISH: White lamp base, with black grommet

ORDER NO.:

067-00-112 Amber, Lamp, Grommet & Pigtail
067-00-122 Red, Lamp, Grommet & Pigtail
067-01-112 Amber, Lamp, Recessed Grommet & Pigtail
067-01-122 Red, Lamp, Recessed Grommet & Pigtail
067-03-112 Amber, Lamp w/ Reflex Lens, Grommet & Pigtail
067-03-122 Red, Lamp w/ Reflex Lens, Grommet & Pigtail
067-04-112 Amber, Lamp w/ Reflex Lens, Recessed Grommet & Pigtail
067-04-122 Red, Lamp w/ Reflex Lens, Recessed Grommet & Pigtail
067-75-712 Amber, Lamp Only
067-75-722 Red, Lamp Only
067-76-712 Amber, Lamp With Reflex Lens Only
067-76-722 Red, Lamp With Reflex Lens Only


REPLACEMENT PARTS

VINYL GROMMET	PIGTAIL
90388	14976-000
90387 (Recessed)	

FEATURES: Hermetically sealed throw away light. Shock absorbing vinyl grommet. Pigtail includes grounding terminal and screw. Sealed lamp slightly recessed for added protection.



067-00



067-76
Reflex Lens

2" DIAMETER SEALED LAMP



068 series

DIMENSIONS: 2" dia. x 3/4" H. sealed lamp only. 2-13/16" dia. x 1-1/8" H. with vinyl grommet. Mounts in a 2-5/16" dia. hole.

MATERIAL: "Lexan" polycarbonate lamp with vinyl grommet.

FINISH: White lamp base, black grommet

ORDER NO.:

068-00-112 Amber, PC Rated Marker Lamp With Vinyl Grommet and Plug in Pigtail Assembly

068-00-122 Red, PC Rated Marker Lamp With Vinyl Grommet and Plug in Pigtail Assembly

068-75-712 Amber, PC Rated, Lamp Only

068-75-722 Red, PC Rated, Lamp Only

REPLACEMENT PARTS

VINYL GROMMET

90398

PIGTAIL

14976-000

FEATURES:

Hermetically sealed throw away light. Shock absorbing vinyl grommet, Pigtail includes grounding terminal and screw. Sealed lamp protrudes slightly above grommet for added visibility.

GROMMETS FOR 067 & 068



90387

90388

90398

DIMENSIONS: 90387: 3-5/8" dia. x 7/8" H. requires a 3" dia. mtg. hole

90388: 3-3/16" dia. x 1-3/8" H. requires a 2-25/32" dia., mounting hole.

90398: 2-13/16" dia. x 13/16" H. requires a 2-5/16" dia mounting hole.

MATERIAL: Vinyl

FINISH: Black

ORDER NO.:

90387 Grommet for 2-1/2" Lamp, Recessed

90388 Grommet for 2-1/2" Lamp

90398 Grommet for 2" Lamp

ULTRA SLIM MARKER

DIMENSIONS: 3-1/2" L. X 3/4" W. x 1-5/32" H. Two .224" dia. Mounting holes on 3" centers.

MATERIAL: "Lexan" polycarbonate plastic base and lens, plated bronze contacts.

FINISH: White

ORDER NO.:

071-00-712 Amber, Interior Wiring, U-Haul Replacement



071-00-722 Red, Interior Wiring, U-Haul Replacement

071-01-712 Amber, Exterior Wiring

071-01-722 Red, Exterior Wiring



071 series


071-00
Interior
Wiring

071-01
Exterior
Wiring

REPLACEMENT PARTS

12V BULB

193

LENS

20148-1 or 2 (Amber, Red)

FEATURES:

Snap on lens, 2 C.P. long life wedge base bulb, Completely non-ferrous, Shock absorbing socket construction, PC rated lamp.

TRIPLE BAR TYPE

DIMENSIONS: 15-3/4" L. x 7/8" W. x 1-11/16" H. Two mtg. holes, 7/32" dia., 15" apart.

MATERIAL: Aluminum bar, "Lexan" lens & housing, plated bronze contacts.

FINISH: Aluminum

ORDER NO.:

073-00-012 Amber, Triple Marker, 2 C.P. Bulbs

073-00-022 Red, Triple Marker, 2 C.P. Bulbs

REPLACEMENT PARTS

12V BULB

193

LENS

20148-1 or 2 (Amber, Red)

FEATURES: Completely non-ferrous. Snap on lens, 2 C.P. long life wedge base bulbs. Shock absorbing socket construction.



073

Reflectors

TRIANGLE FLARE KIT

DIMENSIONS: Flare-20" long base, 17-3/4" sides of triangle. Box-20-1/2" L. x 6" W. x 4" H.

MATERIAL: Plastic frame, acrylic plastic reflectors, plastic base, Plastic box with "living hinge"

FINISH: Red

ORDER NO.:

182-04-620 Kit of Three Flares in a Box

FEATURES: Meets DOT specs. Sets up in seconds, no tools, Handy plastic box, High performance reflectors, Inner triangle of phosphorescent day-glo for daylight visibility.



182-04

SINGLE TRIANGLE FLARE W/ STORAGE SLEEVE

DIMENSIONS: Flare-20" long base, 17-3/4" sides of triangle.


MATERIAL: Plastic frame, acrylic reflectors, black vinyl storage sleeve.

FINISH: Red Reflector

ORDER NO.:

182-05-620 Single Triangle Flare w/ Storage Sleeve

FEATURES: Meets DOT specs. Sets up in seconds, no tools, High performance reflectors, Inner triangle of phosphorescent day-glo for daylight visibility. Folded flare fits in vinyl storage sleeve with "velcro" latch for protection and safekeeping.



182-05

3" STICK ON

DIMENSIONS: 3-3/16" diameter.

MATERIAL: Acrylic lens, double faced foam mounting tape

ORDER NO.:

216-00-010 Amber

216-00-020 Red



216-00

ARMORED - STEEL

DIMENSIONS: 3-9/16" x 4-1/2" overall. Two 9/32" mounting holes on 3-15/16" centers.


MATERIAL: Steel housing, acrylic lens, volara lens gasket

FINISH: Gray

ORDER NO.:


217-00-510 Amber

217-00-520 Red



217-00


218-00

**OVAL - ALUMINUM****DIMENSIONS:** 4-1/16" x 4-5/8" overall. Two 9/32" mounting holes on 3-15/16" centers.**MATERIAL:** Aluminum housing, acrylic lens**ORDER NO.:**

218-00-010 Aluminum Oval Shaped Reflector, Amber

218-00-020 Aluminum Oval Shaped Reflector, Red


219-00

**GIANT SIZE****DIMENSIONS:** 5-3/4" o.d. Four 1/4" diameter mounting holes on a 5-1/16" circle.**MATERIAL:** Aluminum housing, acrylic lens, felt lens gasket**ORDER NO.:**

219-00-010 Round Reflector, Amber

219-00-020 Round Reflector, Red


220-00

**CENTER HOLE MOUNTING****DIMENSIONS:** 3-5/16" o.d., 3/16" mounting hole.**MATERIAL:** Acrylic lens, plastic housing, foil lens backing.**ORDER NO.:**

220-00-710 Round, Center Hole Mtg. Reflector, Amber

220-00-720 Round, Center Hole Mtg. Reflector, Red

222-00

**CLIPPED CORNERS****DIMENSION:** 3-5/8" X 4-5/16" overall. Two 7/32" holes on 3-5/16" centers.**MATERIAL:** Aluminum housing, acrylic lens.**ORDER NO.:**

222-00-010 Reflector w/ Clipped Corners, Amber

222-00-020 Reflector w/ Clipped Corners, Red

FEATURES: Mounts in less space than standard oval design.**OVAL - PLASTIC**

224-00

226-00

DIMENSIONS: 1-7/8" x 4-3/8" overall. **224-00:** two 13/64" mounting holes on 3-15/16" centers **226-00:** stick-on mounting**MATERIAL:** Acrylic lens, plastic housing**ORDER NO.:**


224-00-010 Amber, 2 Mounting Holes, Hermetically Sealed

224-00-020 Red, 2 Mounting Holes, Hermetically Sealed

224-00-030 Clear, 2 Mounting Holes, Hermetically Sealed

226-00-010 Amber, Stick-On

226-00-020 Red, Stick-On

CLEAR REFLECTOR KIT

224-99000


DIMENSION: 1-7/8" x 4-3/8" overall**MATERIAL:** Acrylic lens, plastic housing, galvanized nails & rubber washers**ORDER NO.:**

224-99000 Clear, Two Mounting Holes, Hermetically Sealed

FEATURES: Perfect for protecting trees, fences, etc.

2-1/8" DIAMETER STICK-ON

DIMENSIONS: 2-1/8" diameter
MATERIAL: Acrylic lens, sealed plastic and adhesive back
ORDER NO.:
228-00-010 Amber
228-00-020 Red



228-00

RECTANGULAR STICK-ON

DIMENSIONS: 3-3/16" x 1-7/16" overall
MATERIAL: Acrylic lens
ORDER NO.:
231-00-010 Amber, Stick-On Reflector
231-00-020 Red, Stick-On Reflector
231-00-310 Amber, Stick-On Reflector With Chrome Bezel
231-00-320 Red, Stick-On Reflector With Chrome Bezel




231-00




REFLECTOR CENTER MOUNT

DIMENSIONS: 3-3/16" o.d., 3/16" mounting hole
MATERIAL: Acrylic lens, plastic housing
ORDER NO.:
236-00-730 Reflector, Clear
FEATURES: Ideal for mounting to objects near roads for safety & protection.



236



Examples of NHTSA Conspicuity Requirements

For complete conspicuity requirements for trailers (Eff. Date 12-1-1993) & Tractors: (Eff. 07-1-1997) see FMVSS 108 S5.7. Trailers prior to 1993, rule pending (Eff. date Fall 1998)

NHTSA RULING AT A GLANCE

Side of Trailer: Red/White material placed 15" to 60" above road or as close as practicable. It can be placed on or above rail to avoid rivets. It can be broken segments, but must be evenly distributed and cover at least 50% of the sides.

Rear of Trailer: Red/White across full width of the door or bumper 15" to 60" above road or as close as practicable. Two 2" x 12" white strips configured as an Inverted "L" in each upper rear corner. 2" or 1-1/2" wide red/white material across the full width of the horizontal underride bar.

Overall: White material must be at least 3" from all required lights. Red material must be 3" from required amber lights.

2" High Minimum 6" Long Minimum



2" High Minimum 18" Long Maximum



MATERIAL: Alternating red/white at a minimum 2" high with each color length no less than 6" and no greater than 18". All material must have DOT certification mark to verify compliance to FMVSS 108.

CONSPICUITY TAPE

235 series



ORDER NO.:

235-00-030
235-00-080
235-01-030
235-01-080
235-02-030
235-02-080

FEATURES:

Silver, 2" Wide x 150' Long Roll
Red/Silver, 2" Wide x 150' Long Roll
Silver, 2" Wide x 12" Long, 50 Pieces
Red/Silver, 2" Wide x 18" Long, 100 Pieces
Silver, 2" Wide x 12" Long, 4 Pieces
Red/Silver, 2" Wide x 18" Long, 4 Pieces
Red/Silver Pattern, Tough and weather resistant, High Brightness, Meets Requirements for DOT-C.