



316 W. Milwaukee St., PO Box 511
New Hampton, Iowa 50659

Call: **800-222-6047**

Web: **Zips.com**

PARTS AND ACCESSORIES FOR THE AUTO TRANSPORT INDUSTRY



**B/A PRODUCTS CO. HAS BEEN SUPPLYING QUALITY PARTS & ACCESSORIES TO
THE AUTO TRANSPORT & TOWING INDUSTRIES SINCE 1978.**

2011 Catalog Draft



TABLE OF CONTENTS

CATEGORY	PAGE NUMBER
Trailer Straps	3 - 5
Ratchets & Accessories	6
Chain Specification & Usage	7
1/4" Auto Transport Chain	8
5/16" Auto Transport Chain	9
Hook Clusters	10
Hooks & Fittings	11
Replacement Parts / Electrical	12
Replacement Parts & Pins / Gear Heads	13
Spring Locks & Pawls	14
Measuring Sticks, Graphite Lube & No-Skid	15
Cylinders & Hydraulic Cylinder Parts	16
Boydston Screw Trailer Parts	17- 21
Door Tools	22
Spill Kits, Scotch Blocks & Other Safety Accessories	23
Car Carrier Ramps	24
Strap Boxes & Starting Equipment	25
Ladders / Ladder Straps	26

PRODUCTS CO.

TRAILER STRAPS


B/A STRAPS MEET OR EXCEED OEM SPECIFICATIONS. STRAP CONFIGURATIONS CAN BE CUSTOM MADE TO YOUR SPECIFICATIONS



Length 8'
Part# BA-SJR100

Tie Down Strap with Swivel J Hooks, Tire Grippers & Ratchet

WLL: 3,670 lbs



Length 8'
Part# BA-R100

Tie Down Assembly with Double J Hooks, Tire Grippers & Ratchet.


WLL: 1,665 lbs as a 2 Point Tie Down
3,330 lbs as a 3 Point Tie Down



Length 10'
12'
14'
Part # BA-3053-120
BA-3053-144
BA-3053-168

OEM Grade Replacement Straps with Swivel J Hooks, Tire Grippers, and Protective Sleeve.

WLL: 3,670 lbs



Length 10'
Part # R-BOYDSTUN

Boydston OEM Double J Hook Strap with Bolt Loop.

WLL: 1,665 lbs as a 2 Point Tie Down
3,330 lbs as a 3 Point Tie Down



Length 10'
Part # R-BOYDSTUN22

Boydston OEM Double J Hook Strap with Tire Grippers & Bolt Loop.

WLL: 1,665 lbs as a 2 Point Tie Down
3,330 lbs as a 3 Point Tie Down



Length 7'6"
Part# BA-900LW1

Strap with D-Ring, Double J Hooks & Tire Grippers.

WLL: 1,665 lbs as a 2 Point Tie Down
3,330 lbs as a 3 Point Tie Down



Warning: Never exceed Work Load Limit (WLL)

TRAILER STRAPS




Length
10'

Part #
R-BOYDSTUN10

Boydston OEM Double J Hook Strap with Bolt Loop.

WLL: 1,665 lbs as a 2 Point Tie Down
3,330 lbs as a 3 Point Tie Down



Overall
Length
8'2"

Part#
BA-106

Tie Down with Double J Hooks, Tire Grippers & Grab Hook.

WLL: 1,665 lbs as a 2 Point Tie Down
3,330 lbs as a 3 Point Tie Down



Overall
Length
8'2"

Part#
BA-SJ106

Tie Down with Swivel J Hooks, Tire Grippers & Grab Hook.

WLL: 3,670 lbs



Overall
Length
9'2"

Part#
BA-PSR103

Tie Down Assembly with Perpendicular Swivel J Hooks, Tire Grippers & Ratchet.

*For Trailers with Small Holes in Decking

WLL: 3,670 lbs



Overall
Length

Part#
BA-ES101

Three O Ring E-Track Tie-Down with Ratchet.

WLL: 3,330 lbs



Overall
Length
9'4"

Part#
BA-ES100

Tie Down Assembly with Swivel E Track Fittings, Tire Grippers & Ratchet

WLL: 1,665 lbs as a 2 Point Tie Down
3,330 lbs as a 3 Point Tie Down



Warning: Never exceed Work Load Limit (WLL)

TRAILER STRAPS



Length
8'

Part#
38-100

2" Heavy Duty Strap with Cluster and Chain

WLL: 4,000 lbs



Length
9'

Part#
38-1-9'

2" Strap with O-Ring.

WLL: 3,330 lbs



Length
9'

Part#
38-KT9-S

2" Strap with Sewn Loop.

WLL: 3,330 lbs



Length
24"

Part#
9-2-PAD

2" Velcro Cover Pad



Length
24"

Part#
CSL-2

2" Velcro Cordura Sleeve



Length
18"

Part#
38-SL2

2" Cordura Sleeve



Heavy Duty Axle Strap



Length

Part #

16"

38-51-16

20"

38-51-20

24"

38-51-24

26"

38-51

48"

38-51-48

WLL: 3,330 lbs



Part# BA-B2021
Tie Down Basket with Ratchet
and Chain

WLL: 3,330 lbs

*Basket can be sold separate
B/A Part# BA-B2019



Part # BA-300
Basket Strap with Grab Hook & 2
Double J Hooks

WLL: 1,665 lbs as a 2 Point Tie Down
3,330 lbs as a 3 Point Tie Down



Part # BA-305
Basket Strap with 2 Double J Hooks &
Ratchet.

WLL: 1,665 lbs as a 2 Point Tie Down
3,330 lbs as a 3 Point Tie Down



Part # BA-SJ300
Basket Strap with Grab Hook & 2
Swivel J Hooks.

WLL: 3,330 lbs



Part # BA-SJ305
Basket Strap with Swivel J Hooks
& Ratchet.

WLL: 3,330 lbs



Warning: Never exceed Work Load Limit (WLL)

RATCHETS

B/A RATCHETS MEET OR EXCEED OEM SPECIFICATIONS



Part # 38-10
2" Ratchet
WLL: 3,670 lbs



Part # 38-20
2" Wide Handle Ratchet
WLL: 3,670 lbs



Part # 38-17
2" Ratchet with Forged
Finger Hook
WLL: 2,000 lbs



Part # 38-17-H
Forged Finger
Hook
WLL: 2,000 lbs



Part # 38-27
2" Wide Handle Ratchet with
Forged Finger Hook
WLL: 2,000 lbs



Part # 38-22D
2" Wide Handle Ratchet
with Snap Hook
WLL: 2,200 lbs



Part # 38-12-H
Snap hook with
spacers



Part # 38-20SJ1
2" Wide Handle with Swivel
J Hook
WLL: 3670 lbs



Part # BA-10011
Swivel J Hook w/
1.5" Bracket



Part# BA-R100-S



Part# 38-20



Part# BA-10012
Swivel J Hook w/
2.25" Bracket



Part # 38-20SJ2
2" Wide Handle Ratchet with
Web & Swivel J Hook
WLL: 3,670 lbs

Warning: Never exceed Work Load Limit (WLL)

CHAIN SPECIFICATIONS

THE USE AND CARE OF 1/4" & 5/16" AUTO TRANSPORT CHAIN

The Work Load Limit of 1/4" grade 70 transport chain is 3,150 lbs. and the Work Load Limit of 5/16" grade 70 transport chain is 4,700 lbs. This is the maximum safe load for which the chain is designed and applies to new chain and attachments for direct, straight tension in an undamaged condition. Corrosion, wear, damage or improper loading applications reduce the safe working load limit.

ALWAYS FOLLOW INSTRUCTIONS PROVIDED BY THE TRAILER MANUFACTURER AND THE VEHICLE MANUFACTURER TIE DOWN SPECIFICATIONS.

The following is a partial list of factors that will adversely affect chain and should be avoided:

- **Bending:** Chain is designed for straight tension. Bending chain links over corners, edges or even itself will cause localized high stress areas due to this bending. This can result in local stresses that can overload a single link while the nominal stress on the chain segment is much lower. The severity of such loading increases as the sharpness of the edge and/or the bending angle increases.
- **Shock Loading:** Dynamic of shock loading can cause instantaneous high loads (peak loads). These loads can generate significant force and cause an overload even when static forces are below work load limit stresses.
- **Short Hooking:** The standard design grab hooks will cause the link in the grab hook to shear at loads up to 20% below that of a chain in straight tension due to localized bending. The grab hooks are entirely suitable for chain loaded to the work load limit, but will cause preferential failure if the work load limit is exceeded.
- **Wear:** Wear decreases the chain cross section which reduces the load carrying capability proportional to the decrease in the cross sectional area in direct tension. Reduced cross section can be even more detrimental in bending conditions.
- **Corrosion:** Corrosion is detrimental for two reasons. First, it will decrease the cross sectional area as noted above. Second, corrosion generally creates pits which act as stress risers or stress concentrators.
- **Fatigue:** Fatigue is the initiation and incremental growth of a crack under cyclic loading. The loads necessary to initiate and propagate the crack are generally well below the static force necessary to induce failure. Therefore, the entire previous load history of the chain is a factor in fatigue.
- **Stretched Chain or Coupling Links:** Any chain that exhibits any stretched links or couplings has to have seen a force in excess of the proof test and should be replaced and destroyed immediately. Welded coupling link should never be pulled (loaded) in any manner except a straight pull (the ends of the links). Applying a load to the side of the link can cause premature failure. This also applies to chain links.
- **Drag Damage:** For obvious reasons, any chain that has been dragged needs to be replaced and discarded. Even drag damage to only one link ruins the safe work load of the entire assembly. A chain is only as strong as its weakest link.
- **Cross Deck Hydraulic Loading:** When vehicles on one floating ramp are tied to ratchets on another portion of the trailer, hydraulic loading of the chain occurs. These forces can be extremely high. Therefore, "cross loading" should never be done.
- **Tie Down Angle:** Follow the trailer manufacturers instructions and tie down the vehicle on all four corners. This loading secures the vehicle and prevents any forward or backward motion during transport.

DO NOT OVER TIGHTEN CHAIN

AUTO TRANSPORT 1/4" CHAIN ASSEMBLIES

B/A PRODUCTS MANUFACTURES A COMPLETE LINE OF AUTO TRANSPORT CHAINS. AVAILABLE IN 1/4" GRADE 70 AND 5/16" GRADE 70 CHAIN. ALL ASSEMBLIES ARE MADE WITH PLATED CHAIN & HOOKS. WELD LINKS ARE SELF COLORED UNLESS FULL PLATING IS SPECIFIED. AVAILABLE IN ANY LENGTH AND HOOK COMBINATION.



1/4" Grade 70 chain with Forged Mini Datsun, Grab, R & T Hooks.

Length	Part #
4'	BA-DGRT-4
5'	BA-DGRT-5
6'	BA-DGRT-6
7'	BA-DGRT-7
8'	BA-DGRT-8
9'	BA-DGRT-9
10'	BA-DGRT-10

WLL: 3,150 lbs



1/4" Grade 70 chain with Forged Mini Datsun, Grab, R & T Hooks. Fully Plated.

Length	Part #
5'	BAP-DGRT-5
6'	BAP-DGRT-6
7'	BAP-DGRT-7
8'	BAP-DGRT-8
10'	BAP-DGRT-10

WLL: 3,150 lbs



1/4" Grade 70 chain with Grab, R & T Hooks.

Length	Part #
2'	BA-GRT-2
3'	BA-GRT-3
4'	BA-GRT-4
5'	BA-GRT-5
6'	BA-GRT-6
7'	BA-GRT-7
8'	BA-GRT-8
9'	BA-GRT-9
10'	BA-GRT-10

WLL: 3,150 lbs



Special Order Item

1/4" Grade 70 chain with Grab, R & T Hooks. Fully Plated.

Length	Part #
5'	BAP-GRT-5
6'	BAP-GRT-6
8'	BAP-GRT-8
10'	BAP-GRT-10

WLL: 3,150 lbs



1/4" Grade 70 chain with Hammerhead™, Grab & R Hooks.

Length	Part #
5'	BA-HGR-5
6'	BA-HGR-6
7'	BA-HGR-7
8'	BA-HGR-8
9'	BA-HGR-9
10'	BA-HGR-10

WLL: 3,150 lbs



Special Order Item

1/4" Grade 70 chain with Hammerhead™, Grab & R Hooks. Fully Plated.

Length	Part #
6'	BAP-HGR-6
8'	BAP-HGR-8

WLL: 3,150 lbs



1/4" Grade 70 chain with Forged Mini Datsun, Grab & T Hooks.

Length	Part #
4'	BA-DGT-4
5'	BA-DGT-5
6'	BA-DGT-6
7'	BA-DGT-7
8'	BA-DGT-8
9'	BA-DGT-9
10'	BA-DGT-10

WLL: 3,150 lbs



Special Order Item

1/4" Grade 70 chain with Forged Mini Datsun, Grab & T Hooks. Fully Plated.

Length	Part #
5'	BAP-DGT-5
6'	BAP-DGT-6
8'	BAP-DGT-8
10'	BAP-DGT-10

WLL: 3,150 lbs

Warning: Never exceed Work Load Limit (WLL)

AUTO TRANSPORT 5/16" CHAIN ASSEMBLIES



5/16" Grade 70 chain with Forged Mini Datsun, Grab, R & T Hooks.

Length	Part #
4'	T5-DGRT-4
5'	T5-DGRT-5
6'	T5-DGRT-6
7'	T5-DGRT-7
8'	T5-DGRT-8
9'	T5-DGRT-9
10'	T5-DGRT-10

WLL: 4,700 lbs



5/16" Grade 70 chain with Forged Mini Datsun, Grab, R & T Hooks. Fully Plated.

Length	Part #
5'	PT5-DGRT-5
6'	PT5-DGRT-6
7'	PT5-DGRT-7
8'	PT5-DGRT-8
9'	PT5-DGRT-9
10'	PT5-DGRT-10

WLL: 4,700 lbs



5/16" Grade 70 chain with Forged Mini Datsun, Grab, & T Hooks.

Length	Part #
4'	T5-DGT-4
5'	T5-DGT-5
6'	T5-DGT-6
8'	T5-DGT-8

WLL: 4,700 lbs



Special Order Item

5/16" Grade 70 chain with Forged Mini Datsun, Grab, & T Hooks. Fully Plated.

Length	Part #
4'	PT5-DGT-4
5'	PT5-DGT-5
6'	PT5-DGT-6
8'	PT5-DGT-8

WLL: 4,700 lbs



5/16" Grade 70 chain with Hammerhead™, Grab & R Hooks.

Length	Part #
6'	T5-HGR-6
8'	T5-HGR-8
9'	T5-HGR-9

WLL: 4,700 lbs



Special Order Item

5/16" Grade 70 chain with Hammerhead™, Grab & R Hooks. Fully Plated.

Length	Part #
6'	PT5-HGR-6
8'	PT5-HGR-8
9'	PT5-HGR-9

WLL: 4,700 lbs



5/16" Grade 70 chain with Grab, R & T Hooks.

Length	Part #
4'	T5-GRT-4
6'	T5-GRT-6
8'	T5-GRT-8
10'	T5-GRT-10

WLL: 4,700 lbs



Special Order Item

5/16" Grade 70 chain with Grab, R & T Hooks. Fully Plated.

Length	Part #
5'	PT5-GRT-5
6'	PT5-GRT-6
8'	PT5-GRT-8
10'	PT5-GRT-10

WLL: 4,700 lbs

Warning: Never exceed Work Load Limit (WLL)

GRADE 70 AUTO TRANSPORT CLUSTERS

CUSTOM ASSEMBLIES CAN BE MADE TO ORDER TO YOUR SPECIFICATIONS



Part # BA-GH
Grab & Hammerhead™
Hooks on Link.

WLL: 4,700 lbs



Part # BA-DGRT
Hook Cluster: Mini Datsun,
Grab, R & T Hooks.

WLL: 4,700 lbs



Part # BA-DGT
Hook Cluster: Mini Datsun,
Grab & T Hooks.

WLL: 4,700 lbs



Part # BA-GRT
Hook Cluster: Grab, R & T
Hooks.

WLL: 4,700 lbs



Part # BA-GG
Two Grab Hooks on Link.

WLL: 4,700 lbs



Part # BA-GJ
Grab & Mini J Hook on Link.

WLL: 4,700 lbs



Part # BA-R
R Hook on Link.

WLL: 4,700 lbs



Part # BA-GR
Grab & R Hook on Link.

WLL: 4,700 lbs



Part # BA-GT
Grab & T hook on Link.

WLL: 4,700 lbs



Coupling Link / Hammerlock

Size	Part #	WLL
1/4"	G8-14ACL	3,500 lbs
5/16"	G8-516ACL	5,350 lbs

Warning: Never exceed Work Load Limit (WLL)

GRADE 70 HOOKS & FITTINGS



Part # 11-7D
T/Grab Hook Combo

WLL: 4,700 lbs



Part # 11-7MDG
Mini Datsun /Grab
Hook Combo

WLL: 3,150 lbs



Part # 11-7MD
Forged Mini Datsun /
Compact Mini J Hook

WLL: 4,700 lbs



Part # BAP-916S
5/8" Long Open S Hook

WLL: 3,150 lbs



Part# BAP-916MF
9/16" Open Fairlane

Part# BAP-58MF
5/8" Open Fairlane

WLL: 3,150 lbs



Part # BA-G
Grab Hook on Link

WLL: 4,700 lbs



Part # 11-7H
Plated Hammerhead™
Hook

WLL: 4,700 lbs



Part # 11-7A
Plated T Hook

WLL: 4,700 lbs



Part # 11-7J
Forged Mini J hook Plated

WLL: 4,700 lbs



Part # 11-7R
Plated R Hook

WLL: 4,700 lbs

Warning: Never exceed Work Load Limit (WLL)

REPLACEMENT PARTS / ELECTRICAL



Part# EM-AL44001A

Advanced 12V Enclosed Electric Motor



Part# EM-AL24001A

Advanced 12V Vented Electric Motor



Part# SOL-12V

12/24 Volt Solenoid



Part# E-211

Equalizer



Part# PC-92061

Power Combiner



Part# VC-SP

Boydston Screw Voltage Conditioner



Part # BA-MS2

2 Wire Momentary Switch

Part# BA-MS3

3 Wire Momentary Switch



Part # 19-1

Stainless Steel Folding Steps

**** Sold in Pairs ****



Part # BA-FS

Self Colored Folding Steps

**** Sold Individually ****



Part # 38-DR1

Plated 1/2" Bolt on D-Ring

WLL: 4,080 lbs



Part # B38-DR1/SC

Self Colored 1/2" Bolt on D-Ring

WLL: 4,080 lbs



Weld on D-Ring

Size	Part #	WLL
1"	38-DR2	15,586 lbs
3/4"	38-DR34	9,120 lbs
5/8"	38-DR58	6,130 lbs



Part # BA-FLIPPER3
8 3/4" Flipper (3 Hole)



Part # BA-FLIPPER5
13 3/4" Flipper (5 Hole)



Part# BA-FLIPPER7
20" Flipper (7 Hole)

REPLACEMENT PARTS & PINS



Part # BA-133L Part # BA-133R
Left gear 1.33" ID Right Gear 1.33" ID

Also Available in 1.50" ID & 1.70" ID

** See Page 15 for Winch Bars **

NOT RECOMMENDED FOR USE ON
COTTRELL TRAILERS. USE OEM.



Part# BA-805

Chain Idler



Part #
208
Boydston Large Quick Release Pawl and
Tube

BOY-

Part# BOY-208T
Tube Only

Part# BOY-208P
Pawl Only

Part# BA-205



Part # BA-P248
Pawl

Part # BA-216
Pin



Part # BA-P249
Pawl

Part # BA-205
Pin



Part # BA-P26
Ratchet Hook



Part # BA-QRR
Right quick release pawl

Part # BA-QRL
Left quick release pawl

REPLACEMENT PARTS & PINS

Spring Locks



Part # BA-SL
Short Spring Lock



Part # BA-SL-L
Long Spring Lock



Part # BA-SL101S
Spring Lock Pin with
Ring for BA-SL



Part # BA-SL101L
Spring Lock Pin with
Ring for BA-SL-L



Part # BA-SL105
Drive Pin for Spring
Lock



Part # BA-SL104
Washer for Spring Lock



Part # BA-SL103
Ring Only for Spring Lock
Pins



Part # BA-SL102S
Spring for BA-SL



Part # BA-SL102L
Spring for BA-SL-L



Part # BA-58SLP
5/8" Snap Lock pin



Part # BA-58SLPW
5/8" Snap Lock Pin
with Washer



Part # BA-LP584
5/8" x 4" Angled Lock
Pin w/ Hair Pin Clip



Part # BA-HP58N
5/8" Pin - Lock Hitch Pin



Part # BA-PP55L
Pretzel Stay Lock Pin
Left



Part # BA-PP55R
Pretzel Stay Lock Pin
Right

TRAILER ACCESSORIES



Part # BA-MS4
4' Arm Measuring stick. Measures from 5'10" to 15'.

Part # BA-METRIC
4' Arm Measuring stick. Measures from 1.7m (170cm) to 5.57m (457cm).

Features folding 48" Cross Arm. Measuring stick is made out of Light-weight Fiberglass & folds down for convenient storage.



Slide Rite® Graphite Lube

	Part #	Qty/Case
Gallon	BA-SRG	4 gallons
Quart	BA-SRQ	6 quarts
Aerosol Cans	BA-SRA	12 cans

** Sold by case only **



Part# BA-LUBE (Case of 12)

Chain Gang Chain & Cable Lubricant

- * Reduces Friction & Wear
- * Eliminates Corrosion
- * Able to Withstand Extreme Temperatures
- * Water Resistant



No-Skid® will help reduce the risk of slipping or falling in a potentially slippery area.

No-Skid® in Gallons

Length	Part #	Qty/Case
BLACK	BA-NSB	4
GRAY	BA-NSG	4
WHITE	BA-NSW	4

** Sold by case only **



Winch Bars

Length	Part #
24"	BA-WB24
28"	BA-WB28
34"	BA-WB34
38.5" *	BA-WB385

*For use with 5/16" Chain Only



Part # BA-BRUSH2
2" Wide Brush for Slide Rite® Graphite Lube

Part # BA-BRUSH3
3" Wide Brush for Slide Rite® Graphite Lube



Part # BA-ROLLER
Roller for Non-Skid®



Tarp Straps

Length	Part #
10"	38-TS10
15"	38-TS15
21"	38-TS21
31"	38-TS31
41"	38-TS41

CYLINDERS & HYDRAULIC CYLINDER PARTS



2.5" Bore 90 Degree
Part# SEC-2590



2" Bore Inline
Part# SEC-2IN



2" Bore 90 Degree
Part# SEC-290



2.5" Bore Inline
Part# SEC-25IN



2.5" X 1.5" Gland Nut
Part# GNC-25



2" X 1.5" Gland Nut
Part# GNC-2

Cylinder Pins



3/4" x 2 1/2"	Part# BA-CP3425
3/4" x 3"	Part# BA-CP343
3/4" x 4"	Part# BA-CP344



Cylinder Pin Clip
Part# BA-RC34

BOYDSTUN SCREW TRAILER PARTS



Part# CV-008
Check Valve



Boydston Electronic Box



Part# MM-493
Motor Manifold



Part# TD-834
Truck Directional Valve



Part# NV-145
Nachi Valve



Part# C-80034
12V DC Coil



Part# SOL-1000
Solenoid



Part# SOL-047
Manual Override Solenoid w/ Nut



Part# J-113
Jumper (5/Pack)



Part# RELAY-T
Tureck Relay Only - No Base



Part# RELAY-ID
Idec Relay Only - No Base



Part# RELAY-W
Relay Only for Wago Base



Part# CB-12A
12A Circuit Breaker



Part# RELAY-WB
Wago Relay w/ Base



Part# PV-KW4
Parker DO3 Valve



Part# BA-MS2
2 Wire Momentary Switch



Part# JW-12
Jumper Wire w/ Deutsch
for Coil (Part# C-80034)

BOYDSTUN SCREW TRAILER PARTS



Part# UBB-713
Upper Bearing Mount
Plate



Part# UBB-523
Upper Bearing Mount
Plate



Part# UBB-768
Upper Bearing Mount
Plate



Part# BW-058
Bronze Washer



Part# BH-956
Bearing Housing
POS2, 7SLD
5"L x 3 1/2"W x 2 3/8"D



Part# BH-018
Bearing Housing #4 Slider
5"L x 3 1/2"W x 1 7/8"D



Part# BRP-040
Bearing Retainer Plate
5"L x 3 1/2"W x 7/8"D



Part# AP-039
Adapter Plate
5"L x 3 1/2"W x 5/8"D



Part# S-048
Seal



Part# SP-364
Spacer for Boydston
Screw



Part# B-ROLLER1
Roller Bearing
Part# B-SLEEVE
Bearing Sleeve



Part# RB-114
Tapered Roller



Part# RB-113
Tapered Roller

For use BH-956



Part# SC-19
Spline Coupler



Part# B-THRUST
Thrust Bearing



Part# BB-024
Bronze Bushing
Part# FB-035
Flat Bushing



Part# SN-059
Spanner Nut



Part# SN-047
Spanner Nut



Part# CN-007
Castle Nut

BOYDSTUN SCREW TRAILER PARTS



Part# HM-100AS110
Boydston Screw Motor



Part# HM-80FM110
Boydston Screw Motor



Part# HM-80FM880
Boydston Screw Motor
with Triangle Shaft



Part# HM-80FS110
Boydston Screw Motor



Part# HM-80FS810
Boydston Screw
Motor with Nitro Shaft



Part# HM-80FS880
Boydston Screw Motor
with Triangle Shaft



Part# XXXXX
MOTOR MOUNT



Part# CM-792
Clevis Mount 5K - 90° Port

****Also available as Inline**
Part# CM-793
Clevis Mount 5K - Inline Port

BOYDSTUN SCREW TRAILER PARTS



Part# FN-736-1
Follower Nut 1"



Part# FN-736-2
Follower Nut 2"



Part# FN-736-3
Follower Nut 3"



Part# AN-265
Counterbored
Brake Pad

Part# AN-284
Threaded
Brake Pad



Part# AN-054
Acme Nut



Part# AN-551
Acme Nut



Part# AN-048
Acme Nut #4 Slide



Part# AN-709
Acme Nut



Part# AN-962
Acme Nut #2 & #7 Slide



Part# AN-340
Acme Nut



Part# AN-211
Acme Nut



Part# AN-442
Acme Nut



Part# AN-462
Acme Nut



Part# FN-255
Follower Nut 1.5"



Part# FI-549
Foam Indicator



Part# EGB-377
End Guide Bushing



Part# SGC-979
20 Slide Guide Channel




Part# PAD-278
UHMW Pad



Part# EGB-060
End Guide Bushing

BOYDSTUN SCREW TRAILER PARTS



Part# BA-TULIPBAR
Decing Extrusion Bar 1" x 48"

Sold in 48" Lengths



Part# SGC-684
Medium 3/16" Slider Guide




Part# SGC-765
Large 1/8" Slider Guide




Part# SGC-767
Small 1/4" Slider Guide



Part# BOY-205
Boydston Round Fork




Part# BOY-202
Boydston Round Fork



Part# BOY-203
Boydston Square Fork



Part# BOY-204
Boydston Rectangular Fork



Part# BOY-201
21 Boydston Box Bracket



Part# BOY-206
Vertical Screw Slider Box
with 2" Pin

DOOR TOOLS



Part # 12-275
Inflatable Air Wedge



Part # 12-270
Red Alert Door Tool
Length: 4'6"



Part # 12-1A
Sneaky Pete Door Tool
Length: 1'10"



Part # 12-W5
Plastic Window Wedge
Length: 5.5"



12-8-2010 Deluxe Pro Kit

For those who use an Auto Lockout Kit on a daily basis. It includes the following tools and Lockout Manual in a Four Section Heavy Duty Carry Case with loop handles and outside pockets.

12-1A Sneaky Pete	12BA-12 Double L
12BA-2 Cranker	12BA-13 Camry Tool
12BA-3 Stiletto	12BA-14 Double Grabber
12BA-4 Half-Glass	12BA-16 String Jim
12BA-5 Mini-Glass	12BA-17 Double Sided Wedge (2)
12BA-6 Deep Reach	12BA-18 Flex Neck Flashlight
12BA-7 Magic Wand	12BA-19 Glass Shield
12BA-8 Button Hooker	12BA-G Tool Savers
12BA-9 Over/Under	12-MAN Lockout Manual
12BA-10 Porsche/Chrysler	12BA-20B 4 Section Carry Case
12BA-11 Maxi-Glass	

SAFETY ACCESSORIES



Part # 26-3
Safety Triangle Kit



Part # 46-1
Class 3 - Mesh Lime Vest with
Reflective Stripes.


Stocked in Sizes L thru 4XL

**** Other Sizes Are Available ****



Part # BA-FLAG
Orange Safety Flag w/ Grommets

**** Also Available in Red ****



Part# BA-FLAG1
Orange Safety Flag w/ Bungie Cord

**** Also Available in Red ****

Part# BA-FLAGR
Red Safety Flag w/ Grommets

Part# BA-FLAGR1
Red Safety Flag w/ Bungie Cord



Part # 36-CT150
Conspicuity Tape 2" x 150' Rolls.
Peel Off 7/11 Strips



Part# 36-CTW
White Conspicuity Tape
2" x 150' Rolls
Peel Off 7/11 Strips



Part # 5-1
6"x7" x12" Wheel Chocks

Sold in Pairs



Part # 5-2
8"x8.5"x15" Wheel Chocks

Sold in Pairs



Part # BA-SPILL
Spill Kit

Includes:

- 1 - Pair Goggles
- 1 - Disposal Bag
- 1 - Pair Gloves
- 1 - Carton Sorbent
- 2 - 48" Absorbent Socks
- 10 - 15"x48" Absorbent Pads

Part# BA-SPILL-P
Replacement Pads / Case of 100

Part# BA-SPILL-S
Replacement Socks / Case of 30

Part# BA-SS2C
Replacement Sorbent / Case of 12

CAR CARRIER RAMPS



Tube Style Ramp



Open Style Ramp



Roller Style Ramp



**** OTHER SIZES SOLD UPON REQUEST ****

B/A RAMPS

PART#	DESCRIPTION	SIZE	WLL
R-C18090-R4	ROLLER RAMP	18" WIDE X 90" LONG	4,000 LBS PER AXEL
*R-C18099-R5	ROLLER RAMP	18" WIDE X 99" LONG	5,000 LBS PER AXEL
R-D18103-R5	DELAVALAN STYLE ROLLER RAMP	18" WIDE X 103" LONG	5,000 LBS PER AXEL
R-B19104-R5	BOYDSTUN STYLE ROLLER RAMP	19" WIDE X 104" LONG	5,000 LBS PER AXEL
R-BJ18099-O4	BOYDSTUN STYLE OPEN JUMP RAMP	18" WIDE X 99" LONG	4,000 LBS PER AXEL
R-M18072-O4	OPEN END RAMP	18" WIDE X 72" LONG	4,000 LBS PER AXEL
R-M18072-T4	TUBE END RAMP	18" WIDE X 72" LONG	4,000 LBS PER AXEL
R-M18084-O4	OPEN END RAMP	18" WIDE X 84" LONG	4,000 LBS PER AXEL
R-M18084-T4	TUBE END RAMP	18" WIDE X 84" LONG	4,000 LBS PER AXEL
R-M18096-O5	OPEN END RAMP	18" WIDE X 96" LONG	5,000 LBS PER AXEL



Part# R-R1

Replacement Roller for
Roller Ramp



Part# BA-HPC6
Replacement
Hair Pin Clip

Part# BA-SEAT

Skid Seat



19" Anchor Pins / Part# BA-AP19

22" Anchor Pins / Part# BA-AP22

26" Anchor Pins / Part# BA-AP26



BA Part# 1-45

Rubber Ramp Pads are your best protection
against undercarriage damage.



BA Part# R-RS1

Ramp Stop / Skid Plate
Keeps ramps from sliding completely
out of trailer pocket

***For use with R-C18099-R5 ramps**

Warning: Never exceed Work Load Limit (WLL)

STRAP BOXES



Best Selling Box
Part# BA-STRAPBOX4



Boydstun Strap Box
Part# BA-STRAPBOX6

Excellent for storage of ratchet straps. Has a weather proof seal and twin T-Handle heavy duty locks with keys. Protects your investment from weather and theft. Available in all aluminum or black powder coated with aluminum lid.

B/A STRAP BOXES	
PART#	DESCRIPTION
BA-STRAPBOX1	77"W X 5"H X 24"D STEEL BOX W/ ALUMINUM LID
BA-STRAPBOX2	77"W X 5"H X 24"D BOX W/ 3" DROP - POWDER COATED STEEL BOTTOM WITH ALUMINUM LID
BA-STRAPBOX4	77"W X 5"H X 24"D ALUMINUM BOX
BA-STRAPBOX5	87"W X 5"H X 24"D STEEL BOX
BA-STRAPBOX6	44"W X 13"H X 20"D ALUMINUM BOYDSTUN BOX
BA-STRAPBOX7	38"W X 17"H X 24"D ALUMINUM STRAP TRUCK BOX

**** Call For Application Use ****

STARTING EQUIPMENT

BA Part# 41-JNC660

JNC660 - Durable and reliable 12 volt hand held jump start delivers 1700 peak amps of jump starting power.



- 1700 Peak Amps
- 425 Cranking Amps
- 46" Long, 4 Gauge Heavy Duty Cables
- Built in Charger
- Rugged, Durable, & Field Proven

LADDERS



B/A LADDERS & ACCESSORIES	
PART#	DESCRIPTION
BA-LADDER1	120" x 16" ALUMINUM LADDER NO HOOKS
BA-LADDER2	109" x 13" ALUMINUM LADDER FITS BOYDSTUN SCREW TRUCKS
BA-LADDER3	115" x 18" ALUMINUM LADDER WITH HOOKS - UNIVERSAL



LADDER 1
TOP



LADDER 2
TOP



LADDER 3
TOP



PART# BA-LAD-B
16"W LADDER BRACKETS
FITS LADDER1
SOLD IN PAIRS



PART# BA-LAD-B3
18"W LADDER BRACKETS
FITS LADDER3
SOLD IN PAIRS



PART# BA-LAD-S

CAM BUCKLE STRAP FOR LADDER



PART# BA-LAD-F
REPLACEMENT RUBBER
FOOT FOR LADDER



PART# 38-13-H
LOCKING PIN