



History

1946 Buyers Products Company founded by Sam Ruven and Bessie Kleinman as a distributor of driveline components.

Buyers A

Buyers continued to grow its product offerings and build valued relationships with customers and suppliers. Increased demand for products led to the pursuit of supply chain manufacturing solutions.



VIKING FORGE 1988

Buyers acquired Viking Forge in Streetsboro, Ohio with 6 complete forge lines. This facility manufactures our hitches, D-rings, and other towing and cargo parts.



Buyers acquired
Trailer Components
Manufacturing (Tracom)
for CNC precision
machining and tooling, as well as state-of-the-art







Progressive Powder Coating. Our Nordson automatic powder application booth is used to powder coat our Buyers toolboxes and other truck and trailer accessories.



2002

Buyers moved its corporate headquarters to a brand new 235,000 sq. ft. state-of-the-art office and distribution








Buyers acquired Romotech in New Paris, Indiana. Our Ferry Industries
Rotospeed molding machines
are used to manufacture our poly salt spreade



2007

Buyers began manufacturing the SnowDogg stainless steel snowplow at our Mentor, Ohio facility.





manufacturing mudflaps, wheel chocks and other rubber truck and trailer accessories.



Buyers began our operations at Boomerang Rubber, in Botkins, Ohio

Our Corporate Family of Companies







VIKING FORGE



Founded in 1946, Buyers Products is a fully integrated manufacturer and supplier of products for the mobile equipment industry. Multiple manufacturing capabilities include forging, stamping, laser cutting, CNC machining, robotic welding, rotational molding, powder coating and assembly.

Product lines include towing products, toolboxes, truck and trailer hardware, rubber and polymer products, dump body hardware, cables and control systems, hydraulics, pneumatics, driveline components, lights, mudflaps, snowplows, salt spreaders and snow & ice control products.



Buvers acquired an additional 500,000 sq.ft. manufacturing facility in Mentor, Ohio allowing for expansion of our aluminum and stainless steel manufacturing.





UNDERBODY Steel Page 5 Black SteelPage 5 White & Primed Steel Page 6 Steel w/Stainless Door......Page 7 Aluminum & Polymer......Page 8-9 3-Point LatchPage 11 Replacement Parts......Page 34 TOPSIDER Steel Page 13 Aluminum/Contractor......Page 14 **LO-SIDER** AluminumPage 15-16 **CROSS BOX** Gull-WingPage 17-18 Single LidPage 19-20 **PORK CHOP** Page 21 CHEST & HITCHPage 22-25 B-PACKS Page 27 ACCESSORIESPage 28-29 KABGARD™Page 30 LADDER RACKS.....Page 31-33

INDEX Page 35

NEW PRODUCTS



3-Point Latch Underbody.....Page 5



Black Powder Coat Underbody.....Page 5



Kabgard™.....Page 28





Features



Recessed door and beveled door edges enhance watertight design.



Reinforced door backbone strengthens the integrity of the door and protects the latch mechanism.



Blind stud latches for increased security.



1/2" thick gasket system helps to seal out weather and road grime.



Stainless steel continuous hinge is watertight and rustproof.





PART NO.	HEIGHT	DEPTH	WIDTH	# LATCHES	WEIGHT
BLACK STE	EL BOX w/	STAINLES	S STEEL	ROTARY PADD	LE LATCH
1703150	14	12	24	1	40 lbs.
1703100	14	16	24	1	47 lbs.
1703103	14	16	30	1	55 lbs.
1702100	18	18	24	1	57 lbs.
1702103	18	18	30	1	67 lbs.
1702105	18	18	36	1	80 lbs.
1702110	18	18	48	2	104 lbs.
1702115	18	18	60	2	125 lbs.
DI AOM OTE					



BLACK STEEL BOX w/DIAMOND TREAD ALUM. DOOR &								
DIE-CAST T-	HANDLE (COMPRES	SION LATC	Н				
1702500	18	18	24	1	51 lbs.			
1702503	18	18	30	1	72 lbs.			
1702505	18	18	36	1	69 lbs.			
1702510	18	18	48	2	88 lbs.			



1/02505	18	18	36	1	69 lbs.
1702510	18	18	48	2	88 lbs.
BLACK STEE	L BOX w	/STAINLE	SS STEE	L T-HANDLE L	ATCH
1703350	14	12	24	1	40 lbs.
1703300	14	16	24	1	47 lbs.
1703303	14	16	30	1	55 lbs.
1703305	14	16	36	1	67 lbs.
1703330	16	14	18	1	50 lbs.
1702295	18	18	18	1	47 lbs.
1702300	18	18	24	1	56 lbs.
1702303	18	18	30	1	67 lbs.
1702305	18	18	36	1	80 lbs.
1702310	18	18	48	2	104 lbs.
1702315	18	18	60	2	125 lbs.
1702317*	18	18	66	2	170 lbs.
1702325	18	18	72	2, 2 Doors	149 lbs.
1704300	24	24	24	1	81 lbs.
1704303	24	24	30	1	92 lbs.
1704305	24	24	36	1	109 lbs.
1704310	24	24	48	2	141 lbs.
1704315	24	24	60	2	167 lbs.
1708310	18	24	48	2	119 lbs.
*66" hoves a	re const	ructed of	12-naun	e steel hox	

*66" boxes are constructed of 12-gauge steel box See underbody replacement parts, pg. 34



1702505

Black Steel

- 14-gauge steel box*
- 12-gauge steel door or black diamond tread aluminum door
- Recessed door and beveled door edges protect from moisture & road dirt
- 1/2" thick gasket system
- Stainless steel, continuous hidden hinge
- Reinforced door backbone protects latch mechanism on boxes 36" and up
- Stainless steel locking rotary paddle latch, T-handle latch or die cast T-handle compression latch on aluminum door
- "Aircraft cable" door retainers
- Replaceable doors
- Powder coated for corrosion resistance
- Can mount on flat surface with 180° door opening
- *66" boxes are constructed of 12-gauge steel









White & Primed Steel Underbody


- 14-gauge steel box*
- 12-gauge steel door or black diamond tread aluminum door
- Recessed door and beveled door edges protect from moisture & road dirt
- 1/2" thick gasket system
- Stainless steel, continuous hidden hinge
- Reinforced door backbone protects latch mechanism on boxes 36" and up
- Stainless steel locking rotary paddle latch, T-handle latch or die cast T-handle compression latch on aluminum door
- "Aircraft cable" door retainers
- Replaceable doors
- Powder coated for corrosion resistance
- Can mount on flat surface with 180° door opening
- Available in black, white, or primed

*66" boxes are constructed of 12-gauge steel



PART NO.





HEIGHT DEPTH WIDTH #LATCHES WEIGHT

1/02410	18	18	48	2	106 IDS.
1702415	18	18	60	2	126 lbs.
1702417*	18	18	66	2	173 lbs.
1708410	18	24	48	2	124 lbs.
1703400	14	16	24	1	46 lbs.
1703403	14	16	30	1	55 lbs.
1703405	14	16	36	1	67 lbs.
1704400	24	24	24	1	80 lbs.
1704403	24	24	30	1	93 lbs.
1704405	24	24	36	1	110 lbs.
1704410	24	24	48	2	139 lbs.
1704415	24	24	60	2	168 lbs.



*66" boxes are constructed of 12-gauge steel box See underbody replacement parts, pg. 34







PART NO.		DEPTH			
				NLESS STEEL	
1703700	14	16	24	1	45 lbs.
1703703	14	16	30	1	53 lbs.
1703705	14	16	36	1	66 lbs.
1702700	18	18	24	1	54.5 lbs.
1702703	18	18	30	1	66 lbs.
1702705	18	18	36	1	78.5 lbs.
1702710	18	18	48	2	101.5 lbs.
1702715	18	18	60	2	123.5 lbs.
1702725	18	18	72	2, 2 doors	147.5 lbs.
1704705	24	24	36	1	105.5 lbs.
1704710	24	24	48	2	134 lbs.
1704715	24	24	60	2	163 lbs.
WHITE STE	EL BOX w	//POLISH	ED STAII	NLESS STEEL	DOOR
1702805	18	18	36	1	78.5 lbs.
1702810	18	18	48	2	100.5 lbs.
1702815	18	18	60	2	123.5 lbs.
STAINLESS	STEEL B	OX w/PO	LISHED S	STAINLESS ST	EEL DOOR
1702595	18	18	18	1	51.5 lbs.
1702600	18	18	24	1	61.5 lbs.
1702603	18	18	30	1	72.5 lbs.
1702605	18	18	36	1	85 lbs.
1702610	. 18	18	48	2	98 lbs.
See underb	ody repla	acement	parts, pg	g. 34	



1702805

1703703

Steel & Stainless Steel Underbody 16-Gauge

- 16-gauge stainless steel (mil finish), polished stainless steelor powder coated steel box
- 14-gauge, bright polished, stainless steel door
- Recessed/beveled door
- Rain channel design
- 1/2" door gasket
- Stainless steel die cast T-handle compression latch (two latches on 48" & 60")
- Stainless steel continuous hinge protects from moisture and road dirt
- Reinforced door backbone, strengthens the integrity of the door and protects the latch mechanism
- No surface bolts or weld marks on door
- "Aircraft cable" door retainers
- Replaceable doors
- Can mount on flat surface with 180° door opening

Stainless Steel Underbody

14 dauge, mgmy romanec

- 14-gauge, bright polished, stainless steel door
- Rain channel design
- Stainless steel die cast T-handle compression latch (two latches on 48" & 60")
- Stainless steel continuous hinge protects from moisture and road dirt
- Reinforced door backbone, attached with carriage bolts, strengthens the integrity of the door and protects the latch mechanism
- No surface bolts or weld marks on door
- "Aircraft cable" door retainers
- Replaceable doors
- Can mount on flat surface with 180° door opening





PART NO.	HEIGHT	DEPTH	WIDTH	# LATCHES	WEIGHT			
POLISHED S	STAINLES	S STEEL E	30X w/DI	E-CAST T-HAN	IDLE			
1702650	18	18	24	1	48 lbs.			
1702653	18	18	30	1	57 lbs.			
1702655	18	18	36	1	65 lbs.			
1702660	18	18	48	2	79.5 lbs.			
See underb	See underbody replacement parts, pg. 34							





Aluminum Únderbody

- Recessed/beveled door
- Rain channel design
- Reinforced door backbone, on 30" and up, strengthens door's integrity and protects latch mechanism
- 1/2" door gasket (automotive-style)
- Continuous hidden hinge protects from moisture & road dirt
- Stainless steel die cast T-handle compression latch (two latches on 48" & 60" toolbox)
- Replaceable doors
- Doors interchange with steel underbody toolboxes



PART NO.	HEIGHT	DEPTH	WIDTH	#LATCHES	WEIGHT
ALUMINUM	RECESSE	D DOOR,	T-HAND	LE LATCH	
1705150	14	12	24	1	23 lbs.
1705160	14	16	24	1	25 lbs.
1705101	18	18	18	1	30 lbs.
1705100	18	18	24	1	32.5 lbs.
1705103	18	18	30	1	38.5 lbs.
1705105	18	18	36	1	43 lbs.
1705110	18	18	48	2	56.5 lbs.
1705115	18	18	60	2	66 lbs.
1705120	18	24	48	2	63.5 lbs.
1705130	24	24	24	1	45 lbs.
1705133	24	24	30	1	52 lbs.
1705135	24	24	36	1	59.5 lbs.
1705140	24	24	48	2	75 lbs.
1705145 See underb	24 ody replad	24 cement p	60 parts, pg	2 . 34	88.5 lbs.



Aluminum Underbody w/ Drawer

- Top drawer with adjustable dividers
- 100 lb. Rated drawer slides
- Aluminum diamond tread
- Weather resistant rain gutter design
- 1/2" Thick gasket system helps to seal out weather and road grime
- Can mount on flat surface with 180° door opening



PART NO.	HEIGHT	DEPTH	WIDTH	# LATCHES	WEIGHT			
ALUMINUM UNDERBODY WITH DRAWERS								
1712205	20	18	36	2	53 lbs.			
1712210	20	18	48	2	53 lbs.			
See underbody replacement parts, pg. 34								







PART NO.	HEIGHT	DEPTH	WIDTH	# LATCHES	WEIGHT
			UM BOX v	w/DIE-CAST T	-HANDLE
COMPRESS	ION LATCI	H			
1725100	18	18	24	1	30 lbs.
1725105	18	18	36	1	42 lbs.
1725110	18	18	48	2	52 lbs.
1725130	24	24	24	1	46 lbs.
1725135	24	24	36	1	59 lbs.
1725140	24	24	48	2	76 lbs.
See underb	ody replac	ement pa	arts, pg. 3	34	

	117777	
	1725140	
		12. 1

Aluminum Black Powder Coat Underbody

- .100 mil Diamond tread aluminum black powder coat finish
- Replaceable doors include stainless steel locking die cast T-Handle compression latch for security (two handles on 48" & 60" boxes)
- 1/2" Door gasket (automotive-style)
- Rain channel design protects from moisture and road dirt
- Full-length continuous hinge on doors offers sturdy, durable and smooth performance
- Reinforced door backbone protects latch mechanism on boxes 36" and up
- "Aircraft cable" door retainers
- Powder coated for corrosion resistance



PART NO.	HEIGHT	DEPTH	WIDTH	# LATCHES	WEIGHT			
POLYMER BOX								
1717100	18	18	24	1	24 lbs.			
1717105	18	18	36	1	31 lbs.			
1717110	18	18	48	1	42 lbs.			

See underbody replacement parts, pg. 34



Polymer Underbody

- Constructed of molded highdensity ribbed polyethylene
- D-bulb door seal protects from the elements
- Stainless steel recessed locking T-handle 3-point latch w/roller (includes 2 keys)
- Strong double-wall door
- 1/4" stainless steel full width hinge pin

3. LATER



Aluminum Barn-Door Style Underbody

- Constructed with the same design elements as the standard recessed door aluminum underbody
- Feature doors that swing outward, rather than downward, providing closer access to the contents of the box
- Single left-swing door on boxes 30" wide and smaller
- Double doors on boxes 36" wide and larger.
 Doors swing out from center and include two
 T-handle latches on right door. All double-door styles feature "full access" openings.
- .100 mil bright polished diamond tread aluminum
- Recessed door and Continuous hinge
- 3-Point locking stainless steel folding T-handle
- No center post for maximum door opening

Smooth Aluminum Double Barn-Door **Style Underbody**

- .100" thickness smooth aluminum construction
- T.I.G. welded corners
- Stainless steel continuous hinges
- Locking, stainless steel folding T-Handle
- D-bulb door seal
- 3-Point locking stainless steel folding
 T-handle
- No center post for maximum door opening





1705201





6					
PART NO.	HEIGHT	DEPTH	WIDTH	# LATCHES	WEIGHT
ALUMINUN	LEFT SW	ING SING	GLE DOOF	, T-HANDLE	
1705201	18	18	18	1	28 lbs.
1705200	18	18	24	1	32.5 lbs.
1705203	18	18	30	1	38 lbs.
ALUMINUN	DOUBLE	BARN DO	OOR, T-H	ANDLE	
1702235	24	24	36	1	72 lbs.
1702240	24	24	48	1	76 lbs.
1702250	24	24	60	1	87 lbs.
1705205	18	18	36	1	45.5 lbs.
1705210	18	18	48	1	56 lbs.
1705215	18	18	60	1	66.5 lbs.
SMOOTH A	LUMINUM	DOUBLE	BARN DO	OR, T-HANDLE	
1705305	18	18	36	1	52.5 lbs.
1705310	18	18	48	1	64.5 lbs.
1705315	18	18	60	1	77 lbs.
1705335	24	24	36	1	73 lbs.
1705340	24	24	48	1	89 lbs.

1705345 24 24 60 See underbody replacement parts, pg. 34



Decal shipped loose on all barn door boxes to allow for versatile mounting options. *Optional mount below



1705340 Optional mount

99 lbs.





Features



3-Point die-cast T-handle latch system. Better security, tighter door seal & less stress on hinges.



1 handle for 3 times the seal.



Be sure to keep road grime out and tools dry with a 1/2" door gasket.



PART NO.	HEIGHT	DEPTH	WIDTH	# LATCHES	WEIGHT
BLACK STE			DIE-CAST	T-HANDLE	
COMPRESS			24		50.11
1732300	18	18	24	1	59 lbs.
1732303	18	18	30	1	70 lbs.
1732305	18	18	36	1	83 lbs.
1734300	24	24	24	1	84 lbs.
1734303	24	24	30	1	95 lbs.
1734305	24	24	36	1	110 lbs.
WHITE STE			DIE-CAST	T-HANDLE	
COMPRESS	ION LATC	Н			
1732400	18	18	24	1	59 lbs.
1732403	18	18	30	1	70 lbs.
1732405	18	18	36	1	83 lbs.
1734400	24	24	24	1	84 lbs.
1734403	24	24	30	1	95 lbs.
1734405	24	24	36	1	110 lbs.
			w/3 POINT	DIE-CAST T-	HANDLE
COMPRESS					
1735100	18	18	24	1	32.5 lbs.
1735103	18	18	30	1	38 lbs.
1735105	18	18	36	1	44 lbs.
1735130	24	24	24	1	45 lbs.
1735133	24	24	30	1	58 lbs.
1735135 See underh	. 24	24	36	1	63 lbs.



12.2.2

- 3-Point Latch

 3-Point die-cast T-handle latch system means
- Reinforced door backbone protects latch mechanism and strengthens door integrity

better security, tighter door seal & less stress

Replaceable doors

on hinges

- Stainless steel, continuous hidden hinge protects from moisture and road dirt
- 1/2" door gasket
- 14 gauge steel box/12 gauge steel door with black powder coat finish
- Stainless steel continuous hinge protects from moisture and road dirt
- No surface bolts or weld marks on door
- "Aircraft cable" door retainers
- Can mount on flat surface with 180° door opening (remove cable and door opens completely)





Features



Recessed door and beveled door edges enhance watertight design.



Reinforced door backbone strengthens the integrity of the door and protects the latch mechanism.



1/2" thick gasket system helps to seal out weather and road grime.



Optional removable tray simply snaps into place. (no tools required)



Stainless steel continuous hinge is watertight and rustproof.



Aluminum Topside

Two large 12" tall doors with full-length continuous hinge and recessed frame

 Heavy-duty steel support legs mount directly into bed floor, not into fender

 Thick 3" wide rubber pad protects truck side rail

 No drilling in side rail; J-bolts fasten under bed lip

 Stainless steel die cast T-handle compression latch with lock for security

Full-weather stripping keeps moisture and dust out


opening (remove cable and door opens completely)



PART NO.	HEIGHT	DEPTH	WIDTH	PER DOOR	WEIGHT
ALUMINUM	1 TOPSIDE	, T-HANE)LE		
1701551	16	13	72	1	78 lbs.
1701556	16	13	88	1	89 lbs.
1701561	16	13	96	2	92 lbs.
1701565	18	16	90	1	99 lbs.
1701568	18	16	96	2	103 lbs.
BLACK PO	WDER CO	AT, ALUM	INUM TOP	SIDE, T-HAN	DLE
1721551	16	13	72	1	78 lbs.
1721556	16	13	88	1	89 lbs.
1721561	16	13	96	2	92 lbs.
1721565	18	16	90	1	99 lbs.
1721568	18	16	96	2	103 lbs.

LATCHES

1701561



Aluminum Contractor w/ Drawers

- Slanted double level box designed to match the cab angle with full-length lower compartment
- Two bottom drawers with adjustable dividers
- 100 lb. rated drawer slides
- Includes stainless steel locking t-handles
- Weather resistant rain gutter design
- 1/2" Thick gasket system helps to seal out weather and road grime
- Mounting legs & hardware included




PART NO.	HEIGHT	DEPTH	WIDTH	PER DOOR	WEIGHT
CONTRACT	OR ALUM	IINUM TO	PSIDE, DR	AWERS, T-HA	NDLE
1705641	21	13.5/10	72	2	58 lbs.
1705651	21	14	72	2	91 lbs.

Aluminum Contractor

- Slanted double level box designed to match the cab angle with full-length lower compartment
- Top-opening doors with gas shocks (one door on 72" box; two doors on 88" & 96" boxes)
- Stainless steel locking T-handles
- Mounting legs and hardware included for easy installation
- Full weather stripping keeps moisture and dust out.
- Can mount on flat surface with 180° door opening (remove cable and door opens completely)



D	PART NO.	HEIGHT	DEPTH	WIDTH	LATCHES PER DOOR	WEIGHT
	CONTRACT	TOR ALUN	IINUM TO	PSIDE, T-	HANDLE	
	1705640	21	13.5/10	72	2	68.5 lbs.
0	1705650	21	13.5/10	88	2	83.5 lbs.
1	1705660	21	13.5/10	96	2	88.5 lbs.



Features



Removable tray with storage dividers



Stainless steel locking mechanism



The cover support housing protects the gas springs.



Full weather stripping keeps dust and moisture out.






Aluminum Lo-side

- Low profile boxes mount on pickup truck side rail
- Constructed of heavy-duty diamond tread aluminum
- Top-opening lid features one-touch stainless steel push-button rotary locking mechanism and two gas shocks
- Use separately or with cross box/saddle box (note: when used with 20" wide crossbox, 70" lo-side toolbox provides maximum toolbox use on long bed pickups)
- Features removable tray with divider
- Includes heavy-duty steel mounting legs and hardware; J-hook mounting requires no drilling in truck side rails



PART NO.	Α	В	С	D	Е	CUBIC FT.	WEIGHT
LO-SIDE TOO	LBOX						
1711010	47	13	10.5	6	16	5.2	23 lbs.
1711020	56	13	10.5	6	16	3.4	47 lbs.
1711025	70	13	10.5	6	16	4.0	52 lbs.
1711030	87	13	10.5	6	16	6.3	63 lbs.
BLACK POWD	ER COAT	LO-S	IDE TOO	LBOX			
1721010	47	13	10.5	6	16	5.2	23 lbs.
1721020	56	13	10.5	6	16	3.4	47 lbs.
1721025	70	13	10.5	6	16	4.0	52 lbs.
1721030	87	13	10.5	6	16	6.3	63 lbs.



1711020



Shown mounted in a short bed truck



www.buyersproducts.com



Gull Wing Features



Removable sliding tray



Fully concealed aluminum continuous hinge



Stainless steel one-touch push-button rotary locking mechanism



Thick gasket system helps to seal out weather and road grime






Molded Polymer Gull-Wing

- Suspends from pickup side rails, allowing clearance underneath
- Heavy-duty, high-density, molded polymer construction
- Two gull-wing style lids provide easy access
- Lids feature stainless steel tear drop style locking latches and gas spring assist
- Fits all full-size pickup trucks with 6½' or 8' beds
- Includes mounting hardware; J-hook mounting requires no drilling in truck side rails



PART NO.	APPLICATION	Α	В	С	D	Ε	CUBIC FT.	WEIGHT
POLYMER 6	ULL-WING CROSS BOX							
1710400	Full-size pickup	69	60	20	17	10.5	11	53 lbs.



Aluminum Gull-Wing

- Suspends from pickup side rails, allowing clearance underneath
- Two gull-wing style lids
- Lids feature stainless steel one-touch push- button rotary locking mechanism and two gas shocks per lid
- · Removable tray with divider
- Fits all full-size pickup trucks with 6½' or 8' beds
- Includes mounting hardware;
 J-hook mounting requires no drilling in truck side rails

PART NO.	APPLICATION	Α	В	С	D	Ε	CUBIC FT.	WEIGHT	
DIAMOND 1	TREAD ALUMINUM CROSS BOX GULL-WIN	G							
1710305	Full-size pickup with 6½' or 8' bed	71	60	20	18	11	11.1	67 lbs.	
1710308	Full-size pickup with 6½' or 8' bed	71	60	20	23	16	14.2	73 lbs.	
1710315	Full-size pickup with 6½' or 8' bed	71	60	27	18	11	15.1	84 lbs.	
1710318	Full-size pickup with 6½' or 8' bed w/ slant*	71	60	27	23	16	19.1	85 lbs.	


^{*}The slant construction is designed to work when boxes sit near wheel wells







Reinforced Lid



Single Lid Features



Removable sliding tray



Fully concealed aluminum continuous hinge



Stainless steel one-touch push-button rotary locking mechanism



Will work with Buyers Kabgard™ See pg 30





Aluminum Single Lid

- Suspends from pickup side rails, allowing clearance underneath
- Constructed of heavy-duty diamond tread aluminum
- Wide open lid with two gas springs
- Stainless steel one-touch push-button rotary locking mechanism on both ends provide easy access from either side of truck
- Features removable tray with dividers
- Fits all full-size pickup trucks with 6½' or 8' beds
- Includes mounting hardware; J-hook mounting requires no drilling in truck side rails

PART NO.	APPLICATION	Α	В	С	D	Ε	CUBIC FT.	WEIGHT
CROSS BOX	SINGLE LID							
1709305	Full-size pickup with 6½' or 8' bed	71	60	20	18	11	11.1	75 lbs.
1709308	Full-size pickup with 6½' or 8' bed	71	60	20	23	16	14.2	77 lbs.
1709315	Full-size pickup with 6½' or 8' bed	71	60	27	18	11	15.1	89 lbs.
1709318	Full-size pickup with 6½' or 8' bed w/ slant*	71	60	27	23	16	19.1	91 lbs.
*The slant	construction is designed to work when box	es sit	near	wheel	wells			

A B





PART NO.	APPLICATION	Α	В	С	D	Ε	CUBIC FT.	WEIGHT
PORK CHO	OP BOX							
1711205	Driver Side Rear/Passenger Side Front	461/4	91/4	19	171/4	8½	2.75	26 lbs.
1711206	Passanger Side Rear/Driver Side Front	461/4	01/4	10	171/4	Q1/ ₆	2.75	26 lbe



1711206



May also be mounted in front of wheel wells on full-size long bed pickups.

Aluminum Pork Chop

- Low profile over-the-wheel mounting offers convenient storage while maximizing pickup truck bed space
- Constructed of heavy-duty diamond tread aluminum
- Lid features gas spring and one-touch stainless steel push button rotary locking mechanism
- Fits most pickups
- May also be mounted in front of wheel wells on full-size long bed pickups

Pork Chop Features



Stainless steel one-touch push-button rotary locking mechanism



Gas spring cover support protects spring from damage



Fully concealed aluminum continuous hinge



Thick gasket system helps to seal out weather and road grime.



All-Purpose Chest Features



Gas spring cover support protects spring from damage



Two zinc-plated chest handles for easy lifting



Angled body design is ideal for use with fifth wheel & gooseneck trailer applications.




Reinforced channels in lid for extra durability

Reinforced Lid Stainless Steel One-Touch Push-Button Rotary Locking Mechanism Offset Lid

Zinc-Plated Chest Handles

All-Purpose

- Large capacity, low profile chest mounts to bed of pickup
- Angled body design is ideal for use with fifth wheel & gooseneck trailer applications
- Offset lid design allows chest to be placed against front of pickup bed wall, with full lid access
- Constructed of heavy-duty diamond tread aluminum (front, ends & lid); smooth aluminum (back & bottom)
- Top-opening lid features two gas springs and one-touch stainless steel push-button rotary locking mechanism on driver's side
- Two zinc-plated chest handles for easy lifting











PART NO.	APPLICATION	Α	В	С	D	Е	CUBIC FT.	WEIGHT
POLYMER	ALL-PURPOSE CHEST							
1712230	Multipurpose - One zinc hasp	32	15	13½	91/4	29½	2.6	16 lbs.
1712240	Multipurpose - Two zinc hasps	44	19	171/4	131/4	411/4	6.3	28 lbs.
1712250	Multipurpose - One SS Hasp	51	19½	22½	18¾	47	8.4	34 lbs.
1712260	Multipurpose - Two SS Hasps	77	25	23	19	73	18.8	52 lbs.



All-Purpose Polymer Chest with Stainless Steel and Zinc Hasp

- Large capacity, low profile chest mounts to floors of pickup beds, trailers, garages, etc.
- Constructed of heavy-duty, impact resistant black polyethylene
- Double panel, top-opening lid w/ stainless steel or zinc hasps
- Stainless steel hinge full width
- Built-in carrying handles
- Over lapping lid design seals out weather

All-Purpose Steel Chest

- For secure truck, shop and job site storage
- Mig-welded, 16 gauge steel construction
- Durable, black powder coat finish
- Reinforced, concealed hinged lid with lift handle and props
- Self-folding recessed handles
- Rugged fork lift/caster skids (casters not included)
- Recessed lock housing prevents tampering. Corner-mounted for extra strength
- Two-point dead bolt lock



All-Purpose Jumbo Chest Features



Stainless Steel Locking Mechanism



Gas Spring Cover Support Protects Spring from Damage




Two zinc-plated chest handles for easy lifting



All-Purpose Jumbo Chest

- Large capacity, low profile chest mounts to bed of pickup
- Constructed of heavy-duty diamond tread aluminum (front, ends & lid); smooth aluminum (back & bottom)
- Top-opening lid features two gas shocks and one-touch push-button rotary locking mechanism on driver's side.
- Fits full-size pickups with 6½' & 8' beds. 1712110 also fits Chevy S10, Dodge Ram and Ford Ranger 7' beds
- Two zinc-plated chest handles for easy lifting





PART NO.	STYLE	HEIGHT	DEPTH	WIDTH	WEIGHT
ALUMINUM	HITCH CHEST BOX				
1707010	Chest	24	22.5	48	84.5 lbs.





PART NO.	STYLE	HEIGHT	DEPTH	WIDTH	WEIGHT
ALUMINUM	STEP BOX				
1705180	Aluminum	24	28	12	40 lbs.
1705181	Aluminum	24	28	18	46 lbs.
1705182	Aluminum	24	28	24	56 lbs.
1705183	Aluminum	24	28	30	66 lbs.

Hitch Chest

- Fits all 2" receiver tubes
- Polished diamond tread aluminum
- Two gas springs support top opening lid
- Two zinc-plated chest handles for easy lifting
- Mini-sized stainless steel locking latch protects valuables.
- Black powder coat steel base kit.
- Includes all mounting hardware
- 300 lb. capacity


Step Boxes

- Provides framed steps w/ built-in storage space
- Non-slip (grip punch) steps
- .125 smooth aluminum body
- . 100 diamond tread aluminum door
- Single rubber D-bulb door seal protects from the elements
- Stainless steel locking T-Latch & continuous hinge
- Corner gussets on door opening provide extra strength
- 1/8" thick integral corner braces provide mounting support (for heavy loads & toolboxes wider than 18", #1701015 steel mounting brackets are recommended to prevent stress cracks)
- For medium & heavy-duty trucks



Trailer Tongue

- Designed to mount to the front of A-frame style trailers
- These toolboxes offer an easy way to add secure storage to your trailer
- Steel constructed of 14/12-gauge powder coated steel with a dual striker stainless steel locking paddle latch
- Aluminum constructed of diamond tread aluminum
- Polymer constructed of molded high-density polyethylene.
- Strong double panel lid
- SS hasp & hinge on 1701679;
 zinc hasp on 171680





PART NO.	D	С	A/B	WEIGHT
STEEL TRA	ILER TON	GUE TOOL	BOX	
1701280	16	14.25	34/20.7	51 lbs.
1701281	12	13.25	26/14	33 lbs.
1701285	16	16	48/33	74 lbs.
_				

 PART NO.
 D
 C
 A/B
 WEIGHT

 ALUMINUM TRAILER TONGUE TOOLBOX

 1701380
 15
 14.5
 34/20.7
 17.5 lbs.

 1701385
 18.5
 15
 49/37
 28 lbs.

1701380



 PART NO.
 D
 C
 A/B
 WEIGHT


 WHITE POLYMER TRAILER TONGUE TOOLBOX

 1701679
 18
 19
 36/18
 21 lbs.



Aluminum Gooseneck

- · Constructed of diamond tread aluminum
- Provides easy access to storage with gooseneck trailers
- Includes stainless steel locking
 T-handles and locking paddle latch
- Weather resistant rain gutter design
- 1/2" Thick gasket system helps to seal out weather and road grime
- Mounts to floor of pickup or flatbed



PART NO.	ART NO. D		A/B	WEIGHT
Diamond T	read Alum	inum Goos	seneck TO	OLBOX
1712040	19	15	57/19	46 lbs.



PART NO.	DESCRIPTION	WEIGHT
ALUMINUM DI	AMOND TREAD B-PACK TOOLBOX	
BP824624*	Aluminum B-Pack Toolbox	
	(46"H x 24"D x 82"W), flat floor no offset	395 lbs.
BP825524	Aluminum B-Pack Toolbox (55"H x 24"D x 82"W)	421 lbs.
BP925824	Aluminum B-Pack Toolbox (58"H x 24"D x 92"W)	380 lbs.
BP141624	Aluminum Bolt-On Optional Underbody Toolbox	
	(14"H x 16"D x 24"W)	32 lbs.

* Designed for cab-over trucks & flatbeds. Features flat floor and one stationary shelf. Failure to use supplied spring cushion mounting kit may void warranty on aluminum B-pack toolboxes. Additional sizes available as custom order. B-Pack weights with skid.

PART NO.	DESCRIPTION	WEIGHT
OPTIONAL UND	ERBODY TOOLBOX	
1703300	Optional Steel Bolt-On Underbody Toolbox 14" H x 16" D x 24" W, Black	46 lbs.
1703400	Optional Steel Bolt-On Underbody Toolbox 14" H x 16" D x 24" W, White	46 lbs.
1703900	Optional Steel Bolt-On Underbody Toolbox 14" H x 16" D x 24" W, Primed	46 lbs.
3008086	Universal spring cushioned mounting kit	17 lbs.





BP855524B

PART NO.	DESCRIPTION	WEIGHT
BLACK STEEL F	3-PACK TOOLBOX	
BP855524B	Black Steel B-Pack Toolbox (55"H x 24"D x 85"W)	541 lbs.
BP824624B	Black Steel B-Pack Toolbox, Flat Bottom (46"H x 24"D x 82"W)	491 lbs.
BP855524W	White Steel B-Pack Toolbox (55"H x 24"D x 85"W)	541 lbs.
BP824624W	White Steel B-Pack Toolbox, Flat Bottom (46"H x 24"D x 82"W)	491 lbs.
BP855524P	Primed Steel B-Pack Toolbox (55"H x 24"D x 85"W)	541 lbs.

B-Pack weights with skid.

Aluminum B-Pack

- Adds convenient and spacious storage behind the cab
- Ideal for flatbeds, stake bodies dump bodies, and utility bodies
- Two fixed shelves

BP824624: Overall height is 46"

on this flat bottom box used on flat beds & cab-over trucks

BP825524: Overall height is 55", Height above floor level is

BP925824: Overall height is 58", Height above floor level is 49", 9" hangs below floor level

46", 9" hangs below floor level

- Two folding J-hooks, passenger side
- Four doors with stainless steel rivetless locking T-handle latches
- Automotive rubber bulb sealed doors with gas spring door holders
- Built-in frame mounting rails saves time on installation
- Oversized, ¼" pin continuous door hinges
- Includes universal zinc plated spring cushioned mounting kit (fits most domestic trucks with up to 10" tall frames)
- Optional BP141624 includes bolt-on mounting kit
- Oversized, ¼" pin stainless steel continuous door hinges
- Failure to use supplied spring cushion mounting kit may void warranty on aluminum B-pack toolboxes

Steel B-Pack

- Black, white, or primed powder coat finish
- Two fixes shelves
- Two folding J-hooks (passenger side)
- Four doors with stainless steel rivetless locking T-handle latches
- Automotive rubber bulb sealed doors with gas spring door holders
- Built-in frame mounting rails save time on installation
- Rugged 14 gauge steel body with 12 gauge doors
- Overall Dimensions: 85" L x 55" H x 24" W
- Optional steel bolt-on underbody toolbox
- Oversized, ¼" pin stainless steel continuous door hinges
- Additional sizes available as custom order



Universal Mounting Brackets

Steel

- Constructed of heavy-duty black powder coated steel for corrosion resistance
- Universal hole pattern for quick and easy mounting
- Available with welded braces or bolt-on braces

Aluminum

 Natural aluminum finish, 1/4" formed aluminum angles with welded brace, sold in boxed pairs



PART NO.	DESCRIPTION	WEIGHT/PR
TOOLBOX MO	DUNTING BRACKETS	
1701000	15"x14" Underbody Mounting Brackets, Steel, for 24" & 36" Poly Underbody Boxes	12.50 lbs.
1701001	15"x14" Underbody Mounting Brackets, Steel, for 48" Poly Underbody Boxes	20 lbs.
1701006	18"x18" Welded Brackets	24 lbs.
1701011	18"x24" Welded Brackets	27 lbs.
1701006B	18"x18" Bolted Brackets	24 lbs.
1701011B	18"x24" Bolted Brackets	27 lbs.
17101016	24"x24" Welded Brackets	32 lbs.
1701030	18"x18" Alum. Brackets	7.50 lbs.
1701031	18"x18" Stainless Brackets	19 lbs.
1701040	24"x24" Alum. Brackets	10 lbs.
1701041	18"x24" Stainless Brackets	22 lbs.

J-Hook Hangers

- Universal J-hook hangers
- Bolt-on or weld-on
- Folding zinc plated J-hooks swing flush with compartment walls when not in use

Door Lanyard

- PVC-coated steel wire lanyard with two eyes swagged
- Custom sizes available by quote

Replacement Gasket Kit


- · Replace old cracked gasket
- 1/2" thick, keep weather and road grime out
- Works with most steel underbody toolboxes

Cylinder and Key

- For standard and junior size latches
- Various keys upon request

Chain Carrier

- Hinged, aluminum diamond plate cover
- TIG welded cover with lock hasp
- Reinforced, structural steel
- Predrilled for simple frame mounting (bolts not included)
- Black powder coat finish



PART NO.	DESCRIPTION	C-C	
TOOLBOX I	MOUNTING BRACKETS		
3003081	PVC Coated Door Lanyard	17.15"	
3003480	PVC Coated Door Lanyard	12.65"	
3004556	PVC Coated Door Lanyard	15.50"	
3004713	PVC Coated Door Lanyard	25.75"	
PART NO.	DESCRIPTION	WEIGHT	
UNDERBO	DY REPLACEMENT GASKET KIT		
3005943	Works with Steel Underbody Toolboxes, 18" x 18" x 24" to 60" wide	.21 lbs.	



PART NO.	DESCRIPTION	WEIGHT
CYLINDER AND	KEY	
19CH545	Cylinder and Key	.09 lbs.
39LL71	Cylinder and Key	.09 lbs.
L38RLSCH545	Cylinder for L3885RLS Latch	.25 lbs.
88CH545	Cylinder for L8815 / L8816 / L8915 Latch	.12 lbs.



PART NO.	DESCRIPTION	WEIGHT
CHAIN CARRIER		
5910024	Lockable Tire Chain Carrier	34 lbs.











L8815

L8815 back

L8816

L8816 back

PART NO.	DESCRIPTION	WEIGHT	PART NO.	DESCRIPTION	WEIGHT
FOLDING T-	HANDLE LATCH		FOLDING T-	HANDLE LATCH	
L8815	Single Latch Point with Mounting Holes	1.25 lbs.	L8835	Triple Latch Point with Mounting Holes, Rods	2.75 lbs.
L8816	Single Latch Point with Blind Studs,Gasket & Cylinder with Keys	1.50 lbs.	L8855	Single Latch Point with Blind Studs, Gasket & Cylinder NO keys	1.50 lbs.
L8915*	Single Latch Point with Mounting Holes	1.25 lbs.	L8815G0	Gasket for L8815, L8915	.01 lbs.
L8825	Double Latch Point with Mounting Holes, Rods	2.50 lbs.	CDC01Z	Zinc Die Cast Cylinder Dust Cover	.05 lbs.

^{*}Galvanized Steel





LL9000 L
PART NO. DESCRIPTION

WEIGHT

DIE CAST COMPRESSION T-HANDLE LATCH

LL9000 Single Point, Compression Latch 2.04 lbs.

LL90003 Three Point, Compression Latch 2.06 lbs.





L3890RLS

L3890RLS back

PART NO.	DESCRIPTION	WEIGHT
ROTARY PA	DDLE LATCH	
L3890RLS	Rotary Paddle Latch (requires ¼" striker)	1.40 lbs.
L3890RLSH	Rotary Paddle Latch w/ Hasp (requires ¼" striker)	1.22 lbs.
3005833	1/4" Dia. Striker for L3890RLS	.26 lbs.





8		
PART NO.	DESCRIPTION	WEIGHT
PARTS CAB	INETS	
5411018	18 Drawer Cabinet, 12"H x 11-3/4"D x 32-1/2"W	30.8 lbs.
5411000	Drawer/Rin Replacement 3-1/4" H v 12-1/4" D v 5" W	0.61 lbe

Folding T-Handle Latch

- Heavy-duty, standard size, stainless steel, flush mount
- Single, double or triple point contact to address most applications
- The adjustable cam allows for adjustment of the latch to accommodate door thickness from 1¼"-2"

Die Cast Compression Latch Folding T-Handle

- Powder coated die cast housing
- Chrome handle
- Locking chrome shank
- Molded contour gasket
- Cam action roller engagement
- The adjustable cam allows for adjustment of the latch to accommodate door thickness from 7/8" to 1-3/8"
- Includes lock and two keys
- Can replace L8816 and L3890RLS latches

Rotary Paddle Latch

- Heavy-duty, standard size, stainless steel
- Single point combines style with performance
- Hidden studs
- Gasket and cylinder with keys installed

Parts Cabinets

- Store and index hardware or small parts.
- White powder coated steel cabinet
- Injection molded plastic drawers with stops
- Includes two dividers per drawer
- Pre-drilled mounting holes (brackets included,hardware not included)



KABGARD™ Window Protector

- · Protect your cab
- Mount accessories
- Secure your cargo
- · Quick installation—no drilling required
- Black powder coat finish resists rust and corrosion
- UPS shippable



۱	PART NO.	DESCRIPTION	SIZE	WEIGHT		
	KABGARDT	M WINDOW PROTECTOR				
1	85104	Fits Full-Size Pickup Trucks with Cab Heights of 24" Above Bed.	69" x 23.5"	46.24 lbs.		
١	85204	Fits Full-Size Pickup Trucks with Cab Heights of 26" Above Bed.	71.6" x 26.3"	53.10 lbs.		
l	See chart below to find the correct fit for your truck.					

Part No. 85104: 69" x 23.5" Fits full-size pickup trucks with cab heights of 24" above bed.

F-150, 1997-Present

F-250/350 Super Duty Reg. Cab, 1997-99

Chevy/GMC:

1500/2500 Reg. Cab, Ext. Cab & Crew Cab, 1999-Present

Dodge Ram:

1500 Reg. Cab, 1997-2001 1500 Quad Cab, 1997-2000 1500 Quad Cab, (155" wheel base only) 2001 2500 Reg. Cab, 1997-2001

Part No. 85204: 71.6" x 26.3"

Fits full-size pickup trucks with cab heights of 26" above bed.

F-250 Super Duty Reg. Cab, Super Cab & Crew Cab 2003-Present F-350 Super Duty Reg. Cab, Super Cab & Crew Cab 2003-Present

2500HD all cab styles, 2003-Present 3500 all cab styles, 2003-Present

Dodge Ram:

1500 Quad. Cab, 2001-Present 2500 Reg. Cab, 2002-Present

3500 Reg. Cab & Quad Cab, 2003-present

Mega Cab, 2006



PART NO.	PART NO. DESCRIPTION				
OPTIONAL MOUNTING ACCESSORY BRACKETS					
85162	11.91 lbs.				
85141	Beacon Light Mount, Driver Side	3.50 lbs.			
85142	Beacon Light Mount, Passenger Side	3.50 lbs.			
85152	Mini Lightbar Mount	5.80 lbs.			
85166	Spot/Flood Light Mount (Pair). Used with Post-Mount Applications.	1.24 lbs.			
85176	Traffic Lightbar Mount (Pair)	0.77 lbs.			
85177	Full-Size Lightbar Mount (Pair)	4.65 lbs.			
All mounting accessories sold seperately.					
















PART NO.	DESCRIPTION	COLOR	CAPACITY	WEIGHT
VAN LADDE	R RACKS			
1501300	Van Rack	Black	1000 lbs.	122.26 lbs.



Pickup Truck Rack

- Universal construction fits most pickup trucks with a 6' or 8' bed
- Over-cab design allows for long cargo to be loaded
- Adjustable center cross bar for ideal weight distribution
- Rear cross bar is easily removed to allow tall objects to be loaded in rear of the bed

Service Body Rack

- Fits single and dual rear wheel utility compartments
- Adjustable height accomodates 21" - 31" range
- Built-in grab handles at rear
- Removable rear cross bar (no tools required)

Window Screen

- Full size window screen for use with ladder racks
- Black powder-coat finish
- 15 gauge CNC formed steel construction
- Fits Buyers pickup and utitlty vehicle ladder racks

Universal Mount Van Racks


- Fits GM, G-series & Ford, E-series
- Adjustable center cross bar for ideal weight distribution
- 14-gauge steel construction

Gutter Mount Van Racks

- Mounts to rain gutter
- 4" wide uprights made from 3/16" thick plate steel
- 1½" & 1¼" square 14-gauge steel tubing
- 9/16" wrench is only tool required for installation
- Adjustable from 41" to 72"

Diamond Tread Conduit Carrier Kit

- Provides fully enclosed storage for conduit, pipe, tubing, etc.
- Kit includes: two-piece design (for shipping & storage) and mounting brackets for round or square bar
- Spring loaded rear door for easy access
- Lock hasp
- 0.60 Diamond tread aluminum construction



Mounting Hardware

	PART NO.	DESCRIPTION	WEIGHT	
	DIAMOND			
	5401000	122" x 11" x 6" Coduit Carrier Kit	41.01 lbs.	
*PVC pipe and padlock not included				

PVC Conduit Carrier Kit

- For use with 4" or 6" diameter PVC pipe
- Kit includes: cast aluminum door and end cap, saddle brackets, zinc-plated U-bolts, and hardware
- Spring loaded latching mechanism for quick easy access
- Padlock tabs for security
- Rubber gasket to keep your cargo dry
- Designed for use with ladder racks, this kit offers flexibilty to build a kit to any desired length









PART NO.	DESCRIPTION	APPLICATION	WEIGHT
RATCHET TIE-DOWN STRAPS			
5480005	Fits Round or Square Tubing	-	155 lbs.
5480007	Round	Round 1/7" - 2" Tubing	155 lbs.



PART NO.	DESCRIPTION	COLOR	WEIGHT			
VAN PARTIT	VAN PARTITION					
5412000	Van Partition (Replaces Weatherguard® 86500-3-1)	White	82 lbs.			
5412010	Lock & Hinge Kit (Replaces Weatherguard® 86555-3-1)	White	4 lbs.			

Ratchet Tie-Down Straps

- Fits round or square tubing (see chart)
- Bolt-on zinc-plated black powder coat finish
- 500 lb. Working load limit
- 7' x 1-1/2" Strap with double J-hook

Van Partition

- Provides driver safety from shifting loads
- Optional lock and hinge kit (shown)
- Assembly hardware included
- 16-gauge white powder-coated steel
- Includes convenient file holder



Replacement Parts

PART NO.	DOORS	LATCHES	LANYARDS
UNDERBO	OY REPLACEMEN	IT PARTS	
1702100	1702100D00R	L3890RLS	3003081
1702103	1702103D00R	L3890RLS	3003081
1702105	1702105D00R	L3890RLS	3003081
1702110	1702110D00R	L3890RLS	3003081
1702115	1702115D00R	L3890RLS	3003081
1702200	1702200D00R	L3890RLS	3003081
1702203	1702203D00R	L3890RLS	3003081
1702205	1702205D00R	L3890RLS	3003081
1702210	1702210D00R	L3890RLS	3003081
1702215	1702215D00R	L3890RLS	3003081
1702295	1	L8816	3003081
1702300	1702300D00R	L8816	3003081
1702303	1702303D00R	L8816	3003081
1702305	1702305D00R	L8816	3003081
1702310	1702310D00R	L8816	3003081
1702315	1702315D00R	L8816	3003081
1702317	1702317D00R	L8816	3003081
1702325	1702325D00R	L8816	3003081
1702400	1702400D00R	L8816	3003081
1702403	1702403D00R	L8816	3003081
1702405	1702405D00R	L8816	3003081
1702410	1702410D00R	L8816	3003081
1702415	1702415D00R	L8816	3003081
1702417	1702417D00R	L8816	3003081
1702500	1702500D00R	LL9000	3003081
1702503	1702503D00R	LL9000	3003081
1702505	1702505D00R	LL9000	3003081
1702510	1702510D00R	LL9000	3003081
1702595	/	LL9000	3003081
1702600	1702600D00R	LL9000	3003081
1702603	1702603D00R	LL9000	3003081
1702605	1702605D00R	LL9000	3003081
1702610	1702610D00R	LL9000	3003081
1702650	1702650D00R	LL9000	/
1702653	1702653D00R	LL9000	/
1702655	1702655D00R	LL9000	/
1702660	1702660D00R	LL9000	1
1702700	1702700D00R	LL9000	3003081
1702703	1702703D00R	LL9000	3003081
1702705	1702705D00R	LL9000	3003081
1702710	1702710D00R	LL9000	3003081

DADT NO	DOORS	LATCHEC	LANYARDS
PART NO.		LATCHES	LANTAND
	DY REPLACEMEN 1702715D00R		2002001
1702715 1702725	1702715D00R	LL9000	3003081
1702725	1702705D00R	LL9000 LL9000	3003081 3003081
1702810	1702810D00R	LL9000	3003081
1702815	1702810D00R	LL9000	3003081
1702915	1702913D00R	L8816	3003081
1702900	1702900D00R	L8816	3003081
1702905	1702900D00R	L8816	3003081
1702910	1702910D00R	L3890RLS	3003480
1703100	1703100D00K	L3890RLS	3003480
1703103	1703103D00R	L3890RLS	3003480
1703130	1703130D00R	L3890RLS	3003480
1703203	1703203D00R	L8816	3003480
1703303	1703300D00N	L8816	3003480
1703305	1703305D00R	L8816	3003480
1703333	1703333D00R	I 8816	3003480
1703350	1703350D00R	L8816	3003480
1703330	1703330D00R	L8816	3003480
1703403	1703403D00R	L8816	3003480
1703405	1703405D00R	L8816	3003480
1703700	1703700D00R	LL9000	3003480
1703703	1703703D00R	LL9000	3003480
1703705	1703705D00R	LL9000	3003480
1703900	1703900D00R	L8816	3003480
1704300	1704300D00R	L8816	3004713
1704303	1704303D00R	L8816	3004713
1704305	1704305D00R	L8816	3004713
1704310	1704310D00R	L8816	3004713
1704315	1704315D00R	L8816	3004713
1704400	1704400D00R	L8816	3004713
1704403	1704403D00R	L8816	3004713
1704405	1704405D00R	L8816	3004713
1704410	1704410D00R	L8816	3004713
1704415	1704415D00R	L8816	3004713
1704705	1704705D00R	LL9000	3004713
1704710	1704710D00R	LL9000	3003081
1704715	1704715D00R	LL9000	3003081
1705100	1705100D00R	LL9000	3003081
1705101	1705101D00R	LL9000	3003081
1705103	1705103D00R	LL9000	3003081
1705105	1705105D00R	LL9000	3003081

PART NO.	DOORS	LATCHES	LANYARDS
UNDERBOI	DY REPLACEMEN	T PARTS	
1705110	1705110D00R	LL9000	3003081
1705115	1705115D00R	LL9000	3003081
1705120	1705110D00R	LL9000	3003081
1705130	1705130D00R	LL9000	3004713
1705133	1705133D00R	LL9000	3004713
1705135	1705135D00R	LL9000	3004713
1705140	1705140D00R	LL9000	3004713
1705145	1705145D00R	LL9000	3004713
1705150	1705150D00R	LL9000	3003480
1705160	1705160D00R	LL9000	3003480
1708310	1708310D00R	L8816	3003081
1708410	1702410D00R	L8816	3003081
1725100	1725100D00R	LL9000	3003081
1725105	1725105D00R	LL9000	3003081
1725110	1725110D00R	LL9000	3003081
1725130	1725130D00R	LL9000	3004713
1725135	1725135D00R	LL9000	3004713
1725140	1725140D00R	LL9000	3004713
1732300	1732300D00R	LL90003	3024237
1732305	1732305D00R	LL90003	3024237
1733203	1733203D00R	LL90003	3024237
1734300	1734300D00R	LL90003	3024238
1734303	1734303D00R	LL90003	3024238
1734305	1734305D00R	LL90003	3024238
1735100	1735100D00R	LL90003	3003081
1735105	1735105D00R	LL90003	3003081
1735130	1735130D00R	LL90003	3004713
1735133	1735133D00R	LL90003	3004713
1735135	1735135D00R	LL90003	3004713

See product specific information on page 28-29





00 L8815





85104 30	170223510	17031035	170520010	17171059	5412010 33
8514130	170224010	17031505	170520110	17171109	5480005 33
8514230	170225010	17032036	170520310	172101016	5480007 33
8515230	17022955	17033005	170520510	172102016	591002428
85162 30	17023005	170330027	170521010	172102516	1710101628
85166 30	17023035	17033035	170521510	172103016	1701006B28
85176 30	17023055	17033055	170530510	172155114	1701011B28
85177 30	17023105	17033305	170531010	172155614	1702840TRAY13
85204 30	17023155	17033505	170531510	172156114	1702850TRAY13
150110031	17023175		170531510	172156514	17020301RA113
		17034006	170533510		1702860TRAY13
150110531	17023255	170340027	170534010	172156814	1702940TRAY13
150111031	17024006	17034036	170534510	17251009	1702950TRAY13
150120031	17024036	17034056	170564014	17251059	1702960TRAY13
150120531	17024056	17037007	170564114	17251109	19CH54528
150121031	17024106	17037037	170565014	17251309	39LL7128
150121531	17024156	17037057	170565114	17251359	88CH54528
		1703703			
150130031	17024176	17039006	170566014	17251409	BP14162427
150131031	17025005	170390027	170701025	173230011	BP82462427
150131131	17025035	17043005	17083105	173230311	BP824624B27
170100028	17025055	17043035	17084106	173230511	BP824624W27
170100128	17025105	17043055	170930520	173240011	BP82552427
170100628	17025957	17043105	170930820	173240311	BP855524B27
170101128	17026007		170931520	173240511	BP855524P27
		17043155			
170103028	17026037	17044006	170931820	173430011	BP855524W27
170103128	17026057	17044036	171030518	173430311	BP92582427
170104028	17026107	17044056	171030818	173430511	CC40032
170104128	17026507	17044106	171031518	173440011	CC60032
170128026	17026537	17044156	171031818	173440311	CC80032
170128126	17026557	17047057	171040018	173440511	CDC01Z29
170128526	17026607	17047107	171101016	173510011	L3890RLS29
170138026	17027007	17047157	171102016	173510311	L3890RLSH29
170138526	17027037	17051008	171102516	173510511	L38RLSCH545.28
170155114	17027057	17051018	171103016	173513011	L881529
170155614	17027107	17051038	171120521	173513311	L8815G029
170156114	17027157	17051058	171120621	173513511	L881629
170156514	17027257	17051108	171201022	300308128	L882529
170156814	17028057	17051158	171202022	300348028	L883529
170167926	17028107	17051208	171203022	300455628	L885529
170168026	17028157	17051308	171203522	300471328	L891529
17021005	170284013	17051338	171204026	300583329	LL900029
17021035	170285013	17051358	171211024	300594328	LL9000329
17021055	170286013	17051408	171212024	300808627	
17021105	17029006	17051458	17122058	300912228	
17021155	17029056	17051508	17122108	300993828	
17022006	17029106	17051608	171223023	530101023	
17022036	170291013	170518025	171224023	540100032	
		170510023			
17022056	170295013	170518125	171225023	541100029	
17022106	170296013	170518225	171226023	541101829	
17022156	17031005	170518325	17171009	5412000 33	

DESIGN BUILD DISTRIBUTE SUPPORT























