

# SNOWPUSHERS



**SCOOPDOGG™**  
by **Buyers**





# BACKHOE

## BACKHOE MODELS

PART NO.	WIDTH	WEIGHT	HP (MIN)	MACHINE WT. (MIN)
<b>2602110</b>	10 ft.	1,125 lbs.	50 HP	12,000 lbs.
<b>2602112</b>	12 ft.	1,450 lbs.	70 HP	15,000 lbs.
<b>2602114</b>	14 ft.	1,600 lbs.	85 HP	16,000 lbs.

## TRIP EDGE BACKHOE MODEL

PART NO.	WIDTH	WEIGHT	HP (MIN)	MACHINE WT. (MIN)
<b>2612112</b>	12 ft.	1,550 lbs.	70 HP	15,000 lbs.

## FEATURES

**Safety Orange Powder Coat Finish**  
Durable and corrosion resistant.

**Exclusive Extreme-Duty H-Beam Design**  
12" push beam for superior support. We put support where it's needed most. Engineered for strength.

**3" Inside Posts & 3/8" Side Plates**  
Help prevent damage to sides from accidental impact during extreme operation.

**Extra Durable Lower Posts**  
Bottom support posts are fully welded giving them exceptional strength. This keeps the post higher off the ground. In case of accidental roll back, the bottom post does not get destroyed.

### Extreme-Duty Upper Posts





Upper post support tubes eliminate the need for costly channel rolls. They are fully seam-welded and spaced for maximum effectiveness in lending support to the overall strength of the pusher.

### Extreme-Duty Wear Shoes

Wear shoes are made from abrasion resistant steel for far greater wear life than most competitor's wear shoes.

### 1 1/2" x 10" Rubber Compound Cutting Edge

The right edge for all your needs.




## TRIP EDGE FEATURES

**Multi Section 1/2" Steel Trip Edge**  
For Independent Tripping to Maximize Ground Clearing

**Trip Springs, 3/4" Square Steel Torsion**  
For Maximum Strength

**Preload Bracket**  
Keeps Springs Under Tension

**1-1/4" Diameter Pins**



closeup of trip edge



# LOADER

## FEATURES

**Safety Orange Powder Coat Finish**  
Durable and corrosion resistant.

### Exclusive Extreme-Duty H-Beam Design

12" push beam for superior support. We put support where it's needed most. Engineered for strength.

### Extra Durable Lower Posts

Bottom support posts are fully welded giving them exceptional strength. This keeps the post higher off the ground. In case of accidental roll back, the bottom post does not get destroyed.

### Extreme-Duty Upper Posts

Upper post support tubes eliminate the need for costly channel rolls. They are fully seam-welded and spaced for maximum effectiveness in lending support to the overall strength of the pusher.

### 3" Inside Posts and 3/8" Side Plates

Help prevent damage to sides from accidental impact during extreme operation.

### Extreme-Duty Wear Shoes



Wear shoes are made from abrasion resistant steel for far greater wear life than most competitor's wear shoes.

### 1½" x 10" Rubber Compound Cutting Edge

The right edge for all your needs.

## LOADER MODELS

PART NO.	WIDTH	WEIGHT	HP (MIN)	MACHINE WT. (MIN)
<b>2601112</b>	12 ft.	2,200 lbs.	100 HP	13,000 lbs.
<b>2601114</b>	14 ft.	2,400 lbs.	120 HP	16,000 lbs.
<b>2601116</b>	16 ft.	2,600 lbs.	125 HP	25,000 lbs.
<b>2601118</b>	18 ft.	3,000 lbs.	140 HP	30,000 lbs.
<b>2601120</b>	20 ft.	3,600 lbs.	170 HP	45,000 lbs.





# COMPACT

## FEATURES

**Safety Orange**  
**Powder Coat Finish**  
 Durable and corrosion resistant.

**1" x 6" Premium Rubber**  
 Compound cutting edge.




**Universal**  
 Quick coupler attachment.

**Two 4" Channels**  
 For maximum support.

**Extra Durable Inside Posts**  
 Fully welded for exceptional strength.

**Heavy precision-rolled Moldboard**  
 Enhances rolling of snow.

**3" X ¾" Extreme-duty Wear Shoes**  
 Made from abrasion resistant steel for far greater wear life.



## COMPACT MODELS

PART NO.	WIDTH	WEIGHT	HP (MIN)	MACHINE WT. (MIN)
<b>2604106</b>	6 ft.	400 lbs.	30 HP	2,500 lbs.
<b>2604108</b>	8 ft.	500 lbs.	40 HP	3,500 lbs.
<b>2604110</b>	10 ft.	600 lbs.	50 HP	4,500 lbs.



# SKID-STEER

## FEATURES

**Safety Orange Powder Coat Finish**  
Durable and corrosion resistant.

**Three 4" Channels**  
For maximum support.

**Extra Durable Inside Posts**  
Fully welded for exceptional strength.

**5" x 3/4" Extreme-duty Wear Shoes**  
Made from abrasion resistant steel for far greater wear life.

**1" x 8" Premium Rubber**  
Compound cutting edge.

**Universal**  
Quick coupler attachment.

**Heavy Precision-Rolled Moldboard**  
Enhances rolling of snow.





## TRIP EDGE FEATURES

**Multi Section 1/2" Steel Trip Edge**  
For Independent Tripping to Maximize Ground Clearing

**Trip Springs, 3/4" Square Steel Torsion**  
For Maximum Strength

**Preload Bracket**  
Keeps Springs Under Tension

**1-1/4" Diameter Pins**



## SKID-STEER MODELS

PART NO.	WIDTH	WEIGHT	HP (MIN)	MACHINE WT. (MIN)
<b>2603108</b>	8 ft.	950 lbs.	46 HP	5,500 lbs.
<b>2603110</b>	10 ft.	1,125 lbs.	70 HP	7,000 lbs.
<b>2603112</b>	12 ft.	1,250 lbs.	85 HP	10,000 lbs.

## TRIP EDGE SKID-STEER MODELS

PART NO.	WIDTH	WEIGHT	HP (MIN)	MACHINE WT. (MIN)
<b>2613108</b>	8 ft.	950 lbs.	46 HP	5,500 lbs.
<b>2613110</b>	10 ft.	1,125 lbs.	70 HP	7,000 lbs.
<b>2613112</b>	12 ft.	1,250 lbs.	85 HP	10,000 lbs.

## BACK DRAG KITS

PART NO.	WIDTH	DESCRIPTION
<b>9153008</b>	8 ft.	for use with 2603108 & 2613108
<b>9153010</b>	10 ft.	for use with 2603110 & 2613110

## BACK DRAG KITS

The Pull Back Kits include a 1" x 6" rubber cutting edge mounted to a black powder coated steel frame and a set of 3/4" thick abrasion resistant steel wear shoes. The edge is mounted to the top of the ScoopDogg™ and the shoes are mounted to the front of the side plates. When mounted, and with the ScoopDogg rotated forward, the Pull Back Kit can be used to pull snow away from buildings, docks, and other tight places. The Pullback kit is bolt-on and removable.







**ScoopDogg**  
by **Buyers**

9049 Tyler Blvd. • Mentor, Ohio 44060  
Phone (440) 974-8888 • Fax (800) 841-8003  
Email: [orders@buyersproducts.com](mailto:orders@buyersproducts.com)

For more information visit  
[www.scoopdoggpushers.com](http://www.scoopdoggpushers.com)

**Contact:**

*Your Authorized ScoopDogg™ Distributor*

LITPUSHERS Rev B

090713