CODE 3 ADDENDUM (AS OF 3/10/14)

TRIUMPH™

Introducing the most capable and modern 2-level lightbar ever!



Features

- 2 levels of state-of-the-art SIRIS™ LED technology provides 360° of uninterrupted lighting. When your fleet has a strong need to be "seen", this lightbar does the job.
- Modern curves that match modern vehicle lines make this a solid and attractive addition to any police or fire vehicle!
- Center section provides an additional row of lights on both the front and rear of the lightbar--up to 3 levels of light possible! This section can also be used for a combination of products: insert massive takedowns or a traffic emitter or 100 watt speaker.
- Full featured and customizable lightbar with 9-Up SIRISTM LED lightheads and specifically designed to intergrate a speaker
- Top colored lens easily identify you as a police vehicle and bottom clear lens for TDs and alleys
- Central Controller driven lightheads or independent flashing light heads
- Red, Blue, Amber, or White LEDs
- Black under-molded top lens prevents UV degradation – keeps interior cooler and protects it from UV degradation
- Speakers passes SAE sound regulations and is waterproof
- Dimming mode
- 2 levels of 360° of light, even on the ends of the bar, 3 levels possible in center

section, both front and rear

 Traffic advisor in rear either stand-alone or doubled up providing two levels of warning

Specifications

- 47" or 53" (coming soon) length
- 4.57" tall, lowest height is 3.9"
- 12 Volt
- Meets all applicable SAE, NFPA and California Title 13 specifications when properly configured
- 5 Year Warranty

TRIUMPH BUILD-YOUR-OWN BARS

	1111011111111					
PROD. NO. TRI47ACC TRI47AIF	47" 47"	\$875.93 \$875.93	PROD. NO. TRI47SCC TRI47SIF	47" 47" 47"	With Speaker	\$1,333.62 \$1,333.62
TRI60ACC TRI60AIF	60"	\$1,005.93 \$1,005.93	TRI60SCC TRI60SIF	60" 60"	With Speaker	\$1,463.62 \$1,463.62
TRI73ACC TRI73AIF	73"	\$1,135.93 \$1,135.93	TRI73SCC TRI73SIF	73" 73"	With Speaker	\$1,593.62 \$1,593.62
TRI86ACC TRI86AIF	86" 86"	\$1,265.93 \$1,265.93	TRI86SCC TRI86SIF	86" 86"	With Speaker	\$1,723.62 \$1,723.62

Build-Your-Own Option	s and	Upgrades
------------------------------	-------	----------

DESCRIPTION	LIST
SIRIS - 9 LED (R,B,A)	33.33
SIRIS - 9 LED (W)\$1	42.42
LED TD (ea)	45.33
5LTD (ea)	14.64
LED Alley (pr)	
STT Stop/Turn/Tail Module (ea)	
E795LP Emitter (GTT 795H)	
N-3 Emitter (NPE1000)\$3	
Colored Top Lens (Amber, Red, Blue, Black)	
Cable on Passenger Side	
Upgrade to 35' Cable Length for Lightbar (CC Bars)	
Quick Disconnect With 22' Cable	
Delete Mounting Kit	39.44
NASCC Controller for CC Arrowstik (not required for operation	
of arrowstik)	249.20

DESCRIPTION	LIST
NASLCH2 Control Head	\$162.48
940-4 Output Override Function for Flashing/Steady Burn	
Takedowns & Alleys	\$75.21
	•

LIT3 Mounting Kits DESCRIPTION

LIT3KIT-XX	One pair Torus LED front and one pair Torus
	LED rear
LIT3KIT-X	One pair Torus LED modules either front or rear \$508.16
LIT3KIT-XT	One pair Torus LED and 1 pair Torus WL/Alley \$723.64
LIT3KIT-TT	1 pr Torus LED TD Front, 1-pr Torus LED WL/Alley
	Rear
LIT3KIT-T	1-pr Torus LED TD/Alley either Front or Rear \$410.89
	*Upgrade to White or Green LED in LIT3Kit (each) \$9.08



LIST

4-Pack LED Hide-A-Blast



Features

- 13 Flash Patterns and 1 Steady, Simultaneous or Alternating
- 4 LEDs in a Polycarbonate Lens
- Available in Red, Blue, White, Amber and R/B
- 9' cable with Y connectors
- · Rubber gaskets eliminates water ingress
- Flush mount with supplied grommet
- L-shaped Bracket Mount available
- · Lightheads sold in pairs
- Dimming Capability
- · Synchronous Capability

Specifications

- Lighthead dimensions: 1.575" H x 1.045" D (40 mm x 26.5 mm)
- Controller module: 1.075" W x 5.39" L x .593" H (27.3 mm x 136.9 mm x 15 mm)
- 12 or 24 Volt
- · Meets Reg65 in Blue and Amber when properly configured
- Meets SAE, California Title 13 requirements in Red, Blue, and Amber when properly configured
- 5 year LED warranty

PROD. NO.	DESCRIPTION	LIST
HB4PAK	4-Pack LED Hide-A-Blast SOLD IN PAIRS in A, B, R, W and R/B	\$208.45
PROD. NO.	DESCRIPTION	LIST
HB4-LBKT	L-Shaped Mounting bracket for 4-Pack SOLD IN PAIRS	. \$13.50



HB4PAK-R



21TR Plus MultiColor Lightbar



MultiColor Technology, as seen in our Defender and RX 2700™ LED light-bars, is now in the 21TR PLUS!





Features

- MultiColor Torus[™] LED Modules (Red/Blue, Red/White, Red/Amber, Blue/White, Blue/Amber, Amber/White
- · Two Full Signals out of one Lighthead
- LED Takedown and Alley lights in MultiColor Red/White, Blue/ White, Amber/White lightheads
- Corner MultiColor Lightheads can be programmed to be steady burn providing additional scene lighting
- New Cruise capabilities including Flicker, MultiColor Selection and Safety Cruise Functionality
- Deluxe Central Controller with 49 Flash Pattern Selections, NarrowStik Cruise Function
- Flasher/Steady Burn Feature for Takedown and Alley Lights
- · Built-In NarrowStik Function
- One Touch Setting/Changing of Flash Patterns
- LED Dimming Feature
- 951 Flash Pattern Software
- · User Selectable Flash Patterns Changeable on each Lighthead
- · Lightheads are selected in matching pairs

Options

- Red, Blue, Amber or Black Top Lenses Available
- LED Stop/Turn/Tail Lights
- . Single Colored Lighted LIT3 Mounting Foot
- 795H Opticom LP or N-3 Emitter
- · Solar Panel Battery Conditioner

Specifications

- 47" L (1194 mm) and 52" L (1320 mm)
- 12.25" W x 2.1" H (311 mm x 53 mm)
- 12 Volt
- Meets all Applicable SAE J845, NFPA and California Title 13 Specifications when properly configured
- Reverse Polarity Protected
- · 5-Year LED module warranty

		visual user environment
PROD. NO.	DESCRIPTION	Lightbar Configurator at code3pse.com
21TR47MC 21TR52MC	21TR Plus MultiColor BYO Lightbar. 21TR Plus MultiColor BYO Lightbar	
BYO Options	DESCRIPTION TR18XX Lighthead (RB,RA,BA,) TR18XX Lighthead (RW, BW, AW). MC LTD (LED Takedown - ea) MC LA (LED Alley- ea)	\$161.33 \$151.33

21TR PLUS MULTICOLOR BUILD-YOUR-OWN BARS

 PROD. NO. LENGTH
 PROD. NO. LENGTH

 21TR47MC 47"
 21TR52MC 52"





21TR Features

- Available in a Variety of Configurations—includes 3-up and 4-up Directional Torus Lightheads, 6-up or 9-up LED Corners
- 35 w Halogen and LED Takedowns & Alleys Available
- Flashing Takedowns and Alleys Available with Optional 940 Flasher (both Halogen and LED)
- Basic Central Controller Operations with user selectable 12 Flash Patterns (No NarrowStik)
- Non-Central Controller Option (21IF) also available See page 11
- Dimming Mode & 5-Year Warranty on LED Modules
- · Clear Lenses Standard

21TR Plus Features

PROD. NO.

- · Full Featured and Customizable Lightbar with Torus Lightheads
- 35 w Halogen and LED Takedowns & Alleys Available
- · Flashing LED Takedowns and Alleys Built-in

LENGTH

 Deluxe Central Controller with 23 Flash Pattern Selections, NarrowStik™ Function, Corner Cruise

- Dimming Mode & 5-Year Warranty on LED Modules
- Clear Lenses Standard (Top & Lower)

Options for the 21TR Plus

- LED Stop/Turn/Tail Lights
- . Lighted LIT3 Mounting Foot
- 795H Opticom LP Emitter or N-3 Emitter
- Solar Panel Battery Conditioner

Options for 21TR & 21TR Plus

• Red, Blue, Amber, or Black Top Lenses Available

LENGTH

- 22.5" (572 mm), 36" (914 mm), 47" (1194 mm), 58" (1473 mm), 69" (1753 mm), 80" (2032 mm) and 91" (2311 mm) Lengths & 12.25" W x 2.1" H (311 mm x 53 mm)
- 12 Vol

PROD. NO.

 Meets all Applicable SAE, NFPA and California Title 13 Specifications when properly configured.

35/

LTD TRS3 TRS3

TRS4

TRS4

TRS4

LIST

\$2,047.28

TRS4

\$2,038.20

\$2,297.97

\$1,934.66

TRS4

TRS4 TRS4

TRS4 TRS4

TRS4


ш

TRS4

TRS4

TRS4

21TR STANDARD CONFIGURATIONS



LIST

Use the
C3 VUE
Visual User Environment
Lightbar Configurator
at code3pse.com

Banshee™ Siren Amplifier System

THE NEW SOUND IN EMERGENCY RESPONSE

Features:

- Works with one set of standard size speakers no need to install special large speakers – saving you a tremendous amount of time on installation and space where speakers are mounted.
- Eight Universal Dual Tones (Wail, Yelp, Hyper-Yelp 1, Hyper-Yelp 2, Hi-Lo 1, Hi-Lo 2, Hyper-Lo 1, Hyper-Lo 2).
- Three Low Frequency Tones (Synchronized 1/2 Frequency, Low Frequency Yelp and Low Frequency Wail).
- Eight Low Frequency Time Out settings (7.5, 15, 22.5, 30, 37.5, 45, 52.5 and 60 seconds)
- Eight individual tones for each of the Code 3 Z3 siren tone push-button (Wail, Yelp, Hyper-Yelp 1, Hyper-Yelp 2, Hi-Lo 1, Hi-Lo 2, Hyper-Lo 1, Hyper-Lo 2).
- Operate the electronic Airhorn independently of the primary siren (by itself as an alert) or while the primary siren is in full operation.
- Unique CommandAlert and Yelp Stop tones.

- Additional tones are available when the Banshee operates with a Code 3 Z3 siren.
- Universal Dual Tone operation with most industry standard sirens.
- All inputs can be configured for positive or negative activation.
- Comes with Banshee amplifier box, the power control harness bag, and a CAT5 cable
- Banshee is very economically priced and comes with a full 5 year warranty.
- Box dimensions: 8 ½" L x 2.8" H x 5.7" W (215.9mm x 71.12mm x 144.78mm)
- 10-16 VDC
- 100W: 8 Amps @ 13.6V with 11-ohm load (100 Watt Speaker)
- 200W: 14 Amps @ 13.6V with 5.5-ohm load (2-100 Watt Speakers)
- · Box weight: 3.2 pounds
- SAE J1849, CA Title 13 when properly configured

ModelDescriptionLIST3450Dual Tone & Low Frequency Siren Amp System, 100w/200w Output . \$415.43

^{*}All C3100 speakers purchased after 4/21/2014 will be compatible with Banshee Low Frequency tone selection.





Solex MultiColor Lightbar



MultiColor Technology, as seen in our Defender and RX 2700™ LED lightbars, is now in the Solex!



Features

- Takedowns and Alleys are now MultiColor providing the ability to change from MultiColor to steady burn whenever needed.
- MultiColor technology provides two full signals out of one light head – No compromising of signal strength or size by splitting an LED in half to get two colors
- Greater signal strength allows for increased safety by alerting motorists of your presence especially at intersections
- Turn your Red/White or Blue/White lightheads in the front into all white high visibility takedowns
- Turn the Red/Amber or Blue/Amber lightheads in the rear into a full size NarrowStik™ (Traffic Directing Flash Pattern)
- 18-Up SIRIS LED MultiColor lightheads
- 5-Up LED Takedown and Alley lights in MultiColor Red/White, Blue/ White, Amber/White lightheads
- Corner R/W, B/W MultiColor Lightheads can be programmed to steady burn white providing additional scene lighting
- New 951 Flash Pattern Software provides new field programmable cruise capabilities such as Flicker, MultiColor and Safety

- · Two Full Signals out of one Lighthead
- Deluxe Central Controller with 49 Flash Pattern Selections, NarrowStik, Cruise Function
- Flasher/Steady Burn Feature for Takedown and Alley Lights
- · Built-In NarrowStik Function
- One Touch Setting/Changing of Flash Patterns
- LED Dimming Feature
- User Selectable Flash Patterns Changeable on each pair of Lighthead
- · Lightheads are selected in matching pairs

Specifications

- 47" length (53" coming soon)
- · Average height is 2.5", Max. height 3.9"
- 12 Volt
- Meets all applicable SAE, NFPA,
- California Title 13 and ECE65 specifications when properly configured
- 5-Year Warranty on LED Modules



PROD. NO.	DESCRIPTION LIST	
SX47ACC SX47SCC w/spkr	47" Lightbar includes 2 Central Controllers - See C3Vue to build your lightbar	
BYO Options	DESCRIPTION LIST Sirus 18LED Multi-color \$152.25 Sirus 18LED Multi-color (white) \$179.41 Sirus Multi-color Takedown (ea) \$151.33 Sirus Multi-color Alley(pr) \$302.66	

SOLEX BUILD-YOUR-OWN BARS

PROD. NO. LENGTH SX47ACC 47"



PROD. NO. LENGTH SX47SCC 47" (with speaker)

	III		II		
					(
					\Box

CODE 3º HIDE-A-BLAST SYSTEMS

LED lightheads for auxiliary or undercover warning in head, tail lights and surface mounting

ZENITH 6 LED LIGHT (HAB)



. 6 Next Generation LEDs

Red, Blue, Amber, and White LEDs Available

- Split Colors Available: Amber/Red, Amber/White, Blue/Red, Blue/White, Red/White
- 16 Flash Patterns
- UV Stabilized Polycarbonate Lens
- Nickel Plated Housing
- . High Current LED Driver
- · Self-Contained & In-Line Power Module
- 9' pre-wired cable
- Mounts into 1" hole
- Dimensions: 1.3" H x 0.96" D (33 mm x 24.4 mm)
- 5-Year LED Warranty

PROD. NO. DESCRIPTION Z1-XX 6 LED Pwr supply & 9' Cable.....\$197.93 Solid Color Models:

- 10-30 VDC
- 1.25A @ 12.8V, 0.6A @ 25.6V
- Amber 358+ Lumens
- · Blue 240+ Lumens
- · Red 358+ Lumens
- White 1.100+ Lumens

Split Color Models:

- 10-30 VDC
- 0.5A @ 12.8V, 0.3A @ 25.6V
- Amber 180+ Lumens*
- Blue 120+ Lumens*
- Red 180+ Lumens*
- White 550+ Lumens*
- *For Each 3 LED Segment

VOLT 6 LED LIGHT (HAB)



- · Red, Blue, Amber, White LEDs Available
- **UV Stabilized Polycarbonate Lens**
- 16 Flash Patterns
- Nickel Plated Housing
- Low Profile Mounting Flange and Black Bezel
- High Current LED Driver
- Self-Contained Power Module
- In-Line Power Module
- Synchronizable to additional heads
- 9' Pre-Wired Cable
- · Mounts into 1" Hole
- 12/24 Volt

LIST

- Dimensions: 0.87"H x 1.51" D (22.1 mm x 38.35 mm)
- 0.7A Max Current Draw
- Operating Temperature: -22°F to 122°F (-30°C to 50°C)
- Amber 200 Lumens
- Blue 100 Lumens
- · Red 200 Lumens
- · White 460 Lumens
- 2 Year Warranty on LED modules

PROD. NO. DESCRIPTION V-X 4 LED, Pwr supply & 9' Cable.....\$86.05

VILDCAT 4 LED LIGHT (HAB)



Single Head Models:

- · 4 Next-Generation LEDs
- Red, Blue, Amber, White LEDs Available
- Split Colors Available: Amber/Blue, Amber/Red, Amber/White, Blue/Red, Blue/White, Red/White
- 16 Flash Patterns
- UV Stabilized Polycarbonate Lens
- Nickel Plated Housing
- Low Profile Mounting Flange
- High Current LED Driver
- Self-Contained Power Module
- In-Line Power Module
- 9' pre-wired cable
- Mounts into 1" hole

- Red, Blue, Amber, and White LEDs Available
- Split Colors Available: Blue/Red
- Pre-wired cable; 7 ft module, 7 ft head A, 4 ft head B

Two Head Models (same as above except):

· High current LED driver

- Self-contained power module
- Dimensions: 1.50" W x 0.875" D (38.1 mm x 22.2 mm)
- 5 Year Warranty on LED Modules *Note; Single and Two head models have same specs except two head models come in a pair and share a power module

Blue and White LED Modules

- 10-30 VDC
- 0.5A @ 12.8V, 0.2A @ 25.6V
- Blue 155+ Lumens
- White 660+ Lumens

Red and Amber LED Modules

- 10-16 VDC
- 0.25 Amps
- Amber 160+ Lumens
- · Red 123+ Lumens

Split Color LED Modules

10-30 VDC

PROD. NO. DESCRIPTION W6-X 4 LED, Pwr supply & 9' Cable\$109.96 4 LED - Dual Head, Pwr supply, 7' & 4' Cable\$197.93 DW6-XX



MOTORCYCLE LIGHTING & SIREN


HARLEY DAVIDSON MOTORCYCLE
ACCESSORIES
0044 D LV' 0 E 01'

ACCI	ESSORIES	
2014 Road	d King & Electra Glide (except where noted)	
PROD. NO.	DESCRIPTION	LIST
MC Supervi	sor (4) Multi-Color XT4's (Electra Glide Only)	
HD9MCRB	(4) Red/Blue XT4 lightheads with bracket	\$800.00
HD9MCRW	(4) Red/White XT4 lightheads with bracket	\$800.00
HD9MCBW	(4) Blue/White XT4 lightheads with bracket	\$800.00
HD9MCRBW	(4) Blue/White on DS and Red/White on PS XT4 lightheads	
	with bracket	\$800.00
HD9MCBRW	(4) Red/White on DS and Blue/White on PS XT4 lightheads	
	with bracket	\$800.00
	(6) XT3's (Electra Glide Only)	
HD96B	(6) Blue XT3 lightheads with bracket	\$750.00
HD96R	(6) Red XT3 lightheads with bracket	\$750.00
HD93R3B	(3) Red (Driver side) and (3) Blue (Passenger side) XT3	
	lightheads with bracket	\$750.00
HD93B3R	(3) Blue (Driver side) and (3) Red (Passenger side) XT3	
	lightheads with bracket	\$750.00
HD9XRB	(6) Red/Blue Alternating (R,B,R,B,R,B) XT3 lightheads with	
	bracket	\$750.00
HD9XBR	(6) Blue/Red Alternating (B,R,B,R,B,R) XT3 lightheads with	#750.00
LIDOADOD	bracket	\$750.00
HD94R2B	(6) Blue/Red Alternating (B,R,B,R,B,R) XT3 lightheads with	Ф7 ГО ОО
HD94B2R	bracket	
HD94DZN	(4) Blue and (2) Red (B,R,B,B,R,B) XT3 lightheads with bracke	t \$/50.00
Evtornal Vis	sor ((5) XT4's) (Road King only - coming soon)	
HD83R2B	(3) Red and (2) Blue XT4 lightheads	\$650.00
HD82R3B	(2) Red and (3) Blue XT4 lightheads	
HD85B	(5) Blue XT4 lightheads	
HD85R	(5) Red XT4 lightheads	
HD82R2B	(2) Red and (2) Blue XT4 lightheads with spacer	
HD8MCBW		
	(5) Red/White MultiColor XT4 lightheads	
HD8MCRB	(5) Red/Blue MultiColor XT4 lightheads	
HD813	Build Your Own Bracket - Lighthead sold separately	
Side Fork B	racket (Road King only)	

Code 3 Harley Davidson Brackets are all Chrome
(except the SuperVisor/External Visor & License Plate)

HD513 XT3 or LEDX\$55.00





*Order siren bracket from Harley-Davidson at www.surdyke.com. The part number is 69200597.





Siren Model 3955



XCELTM

Full Featured Siren & Light Control in a Single Unit



Features

- Rotary Switch Positions: Standby (STBY)
 Wail, Yelp, Alt Tone, Radio Rebroadcast
- Oversized Manual Wail and Air Horn Buttons
- 6 Programmable Auxiliary Switches
- 11 Built-In Automotive Style Fuses
- 12 Dip Switches for Configuring
- Plug 'n Play Input/Output Connectors
- Wail, Yelp, and Alt Tone (Alt Tone can be Hyper-Yelp or Hi-Lo)
- Aux Button F can be 8 second timed or on/off
- Aux Button E can be configured as Hands-Free and works with Horn-Ring Transfer

- 3-Level Switch can be split into 3A and 3B for Park-Kill Application
- Horn Ring Transfer, Horn Ring Always, and Hands Free Mode
- Light Alert Low Volume Audio when but tons are activated
- Siren Must be Used with Ignition Options
- Hard wired or mic jack version
- Siren with no light functions available

Specifications

- Size: 6 1/2" W x 2 3/4" H x 5 9/16" D
- Weight: 3.5 lbs
- Operating Voltage: 10-16VDC

- Output Capacity: 100W or 200W
- Compliance: SAE J1849, 2004/104/EC, and California T13
- 3 Level Switch Current: Level 1, Level 2, Level 3A, Level 3B, capable of 15 Amp each for a combined total of 50 Amp
- Auxiliary Switches: Aux A Aux F capable of 10 Amp each
- 5 Year Warranty

PROD. NO.	DESCRIPTION	LIST
3492L6S 3492S 3492L6MJ 3492MJ 3496PL 3496P	Full feature 12V siren with hard-wired microphone and light controls	\$457.00 \$630.00 \$493.00 \$585.00



