

Dodge 5.7L Hemi: D, 2009-11, PH14 Pump, Side Port, 9 gpm Max.

BOLT  
PACKAGES:


BRACKET	711961 (Inc. item 9-11, 14, 21)
IDLER PULLEY	None
CRANK PULLEY	711963 (Inc. item 12, 13, 18, 19)
TENSIONER	None
FAN SPACER	None

3-9-09 ISSUE DATE B 5-8-09 REVISION DATE


Item Part No. Description

1.	711986	Pump bracket	13.	110878	M14 Flat washer
2.	-----	-----	14.	110875	M10 x 1.5 x 60 Socket head bolt
3.	-----	-----	15.	*	Pump
4.	-----	-----	16.	-----	-----
5.	711984	Shim, Reservoir	17.	OEM	Coolant/washer reservoir
6.	740417	Pulley, crankshaft	18.	110808	3/8-16 x 3/4 Socket head bolt
7.	742016	Clutch	19.	110879	Shim, .352 ID x .032 thk
8.	740418	Tensioner	20.	110440	3/8-16 x 1 Flange bolt
9.	110873	M8 x 1.25 x 150 Bolt	21.	110703	M8 Flat washer
10.	110874	M8 x 1.25 x 160 Bolt	22.	742073	Belt, Micro-V K060523
11.	110761	M8 x 1.25 x 110 Bolt			
12.	110876	M14 x 1.5 x 120 Bolt			

**FIG. 2**  
COOLANT/WASHER RES.  
SHIM PLACEMENT





**FIG. 1**  
BELT DIAGRAM



**FIG. 3**

**BRACKET, PULLEY INSTALL**



**FIG. 4**

**CRANK PULLEY MOUNTING**

**DRIVE PIN FITS IN HOLE IN WEB OF OEM CRANK PULLEY**

