

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR34100BLKTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 100'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR34100BTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 100'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR34100GNTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 100'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR34100GTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 100'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: SR341000TH

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 100'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: SR34100RTH

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 100'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: SR34100YTH

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 100'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR34150BLKTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 150'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR34150BTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 150'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR34150GNTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 150'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR34150GTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 150'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR341500TH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 150'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR34150RTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 150'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR34150YTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 150'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR34200BLKTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 200'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR34200BTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 200'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR34200GNTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 200'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR34200GTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 200'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR342000TH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 200'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR34200RTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 200'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR34200YTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 200'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR34250BLKTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 250'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR34250BTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 250'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR34250GNTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 250'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR34250GTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 250'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR342500TH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 250'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR34250RTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 250'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR34250YTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 250'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR34300BLKTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 300'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR34300BTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 300'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR34300GNTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 300'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR34300GTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 300'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: SR343000TH

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 300'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR34300RTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 300'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR34300YTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 300'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR34350BTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 300'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR58100BLKTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 100'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR58100BTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 100'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR58100GNTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 100'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR58100GTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 100'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR581000TH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 100'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: SR58100RTH

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 100'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR58100YTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 140'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR58140BTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 140'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR58140GNTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 140'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR58140GTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 140'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR58140RTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 150'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR58150BLKTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 150'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR58150BTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 150'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR58150GNTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 150'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR58150GTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 150'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR581500TH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 150'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR58150RTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 150'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR58150YTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 20'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR58200BLKTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 200'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR58200BTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 200'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR58200GNTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 200'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR58200GTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 200'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR582000TH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 200'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR58200RTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 200'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR58200YTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 200'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR58250BLKTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 250'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR58250BTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 250'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR58250GNTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 250'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR58250GTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 250'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR582500TH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 250'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR58250RTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 250'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR58250YTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 250'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR78075YTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 100'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR78100BLKTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 100'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR78100BTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 100'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR78100GNTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 100'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR78100GTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 100'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR781000TH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 100'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR78100RTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 100'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR78100YTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 150'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR78150BLKTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 150'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR78150BTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 150'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR78150GNTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 150'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR78150GTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 150'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR781500TH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 150'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR78150RTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 150'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR78150YTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 200'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR78200BLKTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 200'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR78200BTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 200'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR78200GNTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 200'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR78200GTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 200'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR782000TH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 200'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR78200RTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 200'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR78200YTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 250'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR78250BLKTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 250'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR78250BTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 250'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR78250GNTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 250'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR78250GTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 250'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR782500TH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 250'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR78250RTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 250'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR78250YTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 280'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR78300BLKTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 300'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR78300BTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 300'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR78300GNTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 300'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR78300GTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 300'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR783000TH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 300'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR78300RTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 300'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR78300YTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 75'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR916100BLKTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
9/16" x 100'	36,500 lbs.	40,500 lbs.	5:1	7,300 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR916100BTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
9/16" x 100'	36,500 lbs.	40,500 lbs.	5:1	7,300 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR916100GNTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
9/16" x 100'	36,500 lbs.	40,500 lbs.	5:1	7,300 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR916100GTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
9/16" x 100'	36,500 lbs.	40,500 lbs.	5:1	7,300 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: SR9161000TH

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
9/16" x 100'	36,500 lbs.	40,500 lbs.	5:1	7,300 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR916100RTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
9/16" x 100'	36,500 lbs.	40,500 lbs.	5:1	7,300 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR916100YTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
9/16" x 100'	36,500 lbs.	40,500 lbs.	5:1	7,300 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR916150BLKTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
9/16" x 150'	36,500 lbs.	40,500 lbs.	5:1	7,300 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR916150BTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
9/16" x 150'	36,500 lbs.	40,500 lbs.	5:1	7,300 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR916150GNTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
9/16" x 150'	36,500 lbs.	40,500 lbs.	5:1	7,300 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR916150GTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
9/16" x 150'	36,500 lbs.	40,500 lbs.	5:1	7,300 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR9161500TH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
9/16" x 150'	36,500 lbs.	40,500 lbs.	5:1	7,300 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR916150RTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
9/16" x 150'	36,500 lbs.	40,500 lbs.	5:1	7,300 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR916150YTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
9/16" x 150'	36,500 lbs.	40,500 lbs.	5:1	7,300 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR916200BLKTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
9/16" x 200'	36,500 lbs.	40,500 lbs.	5:1	7,300 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR916200BTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
9/16" x 200'	36,500 lbs.	40,500 lbs.	5:1	7,300 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR916200GNTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
9/16" x 200'	36,500 lbs.	40,500 lbs.	5:1	7,300 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR916200GTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
9/16" x 200'	36,500 lbs.	40,500 lbs.	5:1	7,300 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR9162000TH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
9/16" x 200'	36,500 lbs.	40,500 lbs.	5:1	7,300 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR916200RTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
9/16" x 200'	36,500 lbs.	40,500 lbs.	5:1	7,300 lbs.

AmSteel-Blue Synthetic Winch Line w/ Self-Locking Hook

Item #: **SR916200YTH**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
9/16" x 200'	36,500 lbs.	40,500 lbs.	5:1	7,300 lbs.