

SureSteel Synthetic Extension Line

Item #: **SR3850SS-EXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/8" x 50'	17,600 lbs.	20,700 lbs.	5:1	3,520 lbs.

SureSteel Synthetic Extension Line

Item #: **SR3875SS-EXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/8" x 75'	17,600 lbs.	20,700 lbs.	5:1	3,520 lbs.

SureSteel Synthetic Extension Line

Item #: SR38100SS-EXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/8" x 100'	17,600 lbs.	20,700 lbs.	5:1	3,520 lbs.

SureSteel Synthetic Extension Line

Item #: **SR38125SS-EXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/8" x 125'	17,600 lbs.	20,700 lbs.	5:1	3,520 lbs.

SureSteel Synthetic Extension Line

Item #: **SR38150SS-EXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/8" x 150'	17,600 lbs.	20,700 lbs.	5:1	3,520 lbs.

SureSteel Synthetic Extension Line

Item #: **SR71650SS-EXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/16" x 50'	19,500 lbs.	25,200 lbs.	5:1	3,900 lbs.

SureSteel Synthetic Extension Line

Item #: **SR71675SS-EXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/16" x 75'	19,500 lbs.	25,200 lbs.	5:1	3,900 lbs.

SureSteel Synthetic Extension Line

Item #: **SR716100SS-EXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/16" x 100'	19,500 lbs.	25,200 lbs.	5:1	3,900 lbs.

SureSteel Synthetic Extension Line

Item #: **SR716125SS-EXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/16" x 125'	19,500 lbs.	25,200 lbs.	5:1	3,900 lbs.

SureSteel Synthetic Extension Line

Item #: SR716150SS-EXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/16" x 150'	19,500 lbs.	25,200 lbs.	5:1	3,900 lbs.

SureSteel Synthetic Extension Line

Item #: **SR1250SS-EXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
1/2" x 50'	30,600 lbs.	36,000 lbs.	5:1	6,120 lbs.

SureSteel Synthetic Extension Line

Item #: **SR1275SS-EXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
1/2" x 75'	30,600 lbs.	36,000 lbs.	5:1	6,120 lbs.

SureSteel Synthetic Extension Line

Item #: SR12100SS-EXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
1/2" x 100'	30,600 lbs.	36,000 lbs.	5:1	6,120 lbs.

SureSteel Synthetic Extension Line

Item #: SR12125SS-EXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
1/2" x 125'	30,600 lbs.	36,000 lbs.	5:1	6,120 lbs.

SureSteel Synthetic Extension Line

Item #: SR12150SS-EXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
1/2" x 150'	30,600 lbs.	36,000 lbs.	5:1	6,120 lbs.