

## SureSteel Synthetic Winch Line

Item #: **SR3850SS**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/8" x 50'	17,600 lbs.	20,700 lbs.	5:1	3,520 lbs.

## SureSteel Synthetic Winch Line

Item #: **SR3875SS**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/8" x 75'	17,600 lbs.	20,700 lbs.	5:1	3,520 lbs.

## SureSteel Synthetic Winch Line

Item #: **SR38100SS**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/8" x 100'	17,600 lbs.	20,700 lbs.	5:1	3,520 lbs.

## SureSteel Synthetic Winch Line

Item #: **SR38125SS**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/8" x 125'	17,600 lbs.	20,700 lbs.	5:1	3,520 lbs.

## SureSteel Synthetic Winch Line

Item #: **SR38150SS**

<b>Size</b>	<b>Minimum Break Strength</b>	<b>Average Break Strength</b>	<b>Design Factor</b>	<b>Working Load Limit</b>
3/8" x 150'	17,600 lbs.	20,700 lbs.	5:1	3,520 lbs.

## SureSteel Synthetic Winch Line

Item #: **SR71650SS**

<b>Size</b>	<b>Minimum Break Strength</b>	<b>Average Break Strength</b>	<b>Design Factor</b>	<b>Working Load Limit</b>
7/16" x 50'	19,500 lbs.	25,200 lbs.	5:1	3,900 lbs.

## SureSteel Synthetic Winch Line

Item #: **SR71675SS**

<b>Size</b>	<b>Minimum Break Strength</b>	<b>Average Break Strength</b>	<b>Design Factor</b>	<b>Working Load Limit</b>
7/16" x 75'	19,500 lbs.	25,200 lbs.	5:1	3,900 lbs.

## SureSteel Synthetic Winch Line

Item #: **SR716100SS**

<b>Size</b>	<b>Minimum Break Strength</b>	<b>Average Break Strength</b>	<b>Design Factor</b>	<b>Working Load Limit</b>
7/16" x 100'	19,500 lbs.	25,200 lbs.	5:1	3,900 lbs.



## SureSteel Synthetic Winch Line

Item #: **SR716125SS**

<b>Size</b>	<b>Minimum Break Strength</b>	<b>Average Break Strength</b>	<b>Design Factor</b>	<b>Working Load Limit</b>
7/16" x 125'	19,500 lbs.	25,200 lbs.	5:1	3,900 lbs.

## SureSteel Synthetic Winch Line

Item #: **SR716150SS**

<b>Size</b>	<b>Minimum Break Strength</b>	<b>Average Break Strength</b>	<b>Design Factor</b>	<b>Working Load Limit</b>
7/16" x 150'	19,500 lbs.	25,200 lbs.	5:1	3,900 lbs.

## SureSteel Synthetic Winch Line

Item #: **SR1250SS**

<b>Size</b>	<b>Minimum Break Strength</b>	<b>Average Break Strength</b>	<b>Design Factor</b>	<b>Working Load Limit</b>
1/2" x 50'	30,600 lbs.	36,000 lbs.	5:1	6,120 lbs.

## SureSteel Synthetic Winch Line

Item #: **SR1275SS**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
1/2" x 75'	30,600 lbs.	36,000 lbs.	5:1	6,120 lbs.

## SureSteel Synthetic Winch Line

Item #: **SR12100SS**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
1/2" x 100'	30,600 lbs.	36,000 lbs.	5:1	6,120 lbs.

## SureSteel Synthetic Winch Line

Item #: **SR12125SS**

<b>Size</b>	<b>Minimum Break Strength</b>	<b>Average Break Strength</b>	<b>Design Factor</b>	<b>Working Load Limit</b>
1/2" x 125'	30,600 lbs.	36,000 lbs.	5:1	6,120 lbs.

## SureSteel Synthetic Winch Line

Item #: **SR12150SS**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
1/2" x 150'	30,600 lbs.	36,000 lbs.	5:1	6,120 lbs.