

# **M** Series<sup>™</sup>

# Surface Mount Super-LED® Lightheads

With a unique lens shape and patented Linear-LED® designed reflector assembly, M Series lightheads are completely illuminated for unmatched high intensity warning and low current consumption.



#### FEATURES

- SAE Class 1 Certified (warning)
- Available in single or split colors
- Available with Clear or color lenses
- Multiple Scan-Lock™ flash patterns, many being California Title XIII compliant. Meets KKK-1822F, NFPA 1901, NFPA 1917, SAE, and EC65 specifications
- Choose flash patterns from solid, left/right, top/bottom, in/out, or diagonal sequencing
- Brake/tail/turn, turn, and back-up lights meet applicable SAE requirements
- Available in steady-burn or with an internal flasher
- Warning lights with internal flasher have sync and low power functions

- M2 features sync function only
- Hard-coated lenses minimize environmental damage from sand, sun, salt, and road chemicals
- Surface mounts via two screws for easy installation
- A variety of mounting brackets and optional Chrome or Black flanges are available
- Five year warranty



#### M2 Series

- Solid color models have 25 Scan-Lock™ flash patterns
- Split color models have 69 Scan-Lock flash patterns
- Wide-angle lens models for NFPA 1901 and KKK-1822F applications
- Standard M2 can be mounted vertically or horizontally
- Size with flange: 2.70" (69mm) H x .94" (24mm) D x 4.27" (109mm) L



#### M4 Series

- Solid color models have 125 Scan-Lock flash patterns
- Split color models have 64 Scan-Lock flash patterns
- M4 combination warning and driving light
- Housing allows easy mounting of M4 lightheads in the factory fog light openings of the 2015-2018 Chevy Tahoe and 2015-2018 Ford F-150
- Size with flange: 3.38" (86mm) H x
   1.4" (36mm) D x 5.49" (139mm) L

## MODELS

Model	Туре	Color	Lens	An	np Draw		
M2 Standard Series							
M2*	Warning	A, B, R, W	Color				
M2*C		A, B, R					
M2#		Split R/W, R/B, R/A, A/W					
M2 Wide-An	.0 peak, 5 average						
M2W*	Warning	A, B, R, W	Color				
M2W*C		A, B, R	Clear				
M2W#		Split R/W, R/B, R/A					
M2 Series O	Color						
M2FC Flange mount					Chrome		
M2FB	Flange mount						
M2GROM	Grommet mour	Black					
M2PEDB	Pedestal mount kit						
M2PEDC Pedestal mount kit					Chrome		

#### MODELS

Model	Type	Color	Lens	А	mp Draw	
M4 Series with Internal Flasher & Synchronize Feature						
M4*		A, B, R, W	Color			
M4*		A, B, R, W				
M4*C	Warning	A, B, R	Clear	Simultaneous: 1.5 peak, 0.6 average Alternating: 0.75 peak, 0.3 average		
M4#		Split R/W, R/B, R/A, A/W				
M4DW*	Combination	B, R				
M4DWJ	Driving/Warning Light	Red over Blue			M4DW*:	
M4 Models requiring LED Flasher (purchased separately) 1.0 per					ak, 0.4 average	
M4*S	Warning	A, B, R, W	Color			
M4*CS	vvarring	A, B, R, W	Clear			
M4 Series Options					Color	
M4FC	14FC Flange					
M4FB	Flange				Black	
M4FC400	FC400 Flange, adapts M4 to 400 Series mounting				Chrome	
M4BRUSH	Brush guard				D	
M4CT15B	Fog light mount for 2015-2018 Chevy Tahoe, pair				Black	
M4FF15B	Fog light mount for 2015-2018 Ford F-150, pair					
4BKT1	Universal "L" Mounting Bracket for M4 Series Super-LED® Lighthead				Stainless Steel	
M4TM15B	Mirror mount for 2015-2018 Ford Transit, pair				Dlook	
M4TB15B	Front lower side mount for 2015-2018 Ford Transit, pair				Black	

WARNING: These products may contain chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit whelen.com/regulatory.



#### MODELS

Model	Type	Color	Lens	Amp D	raw	
M6 Series with Internal Flasher & Synchronize Feature						
M6*		A, B, R, W	Color			
M6*C	Warning	A, B, R		Simultaneous:		
M6#	vvarining	Split R/W, R/B, R/A, A/W	Clear	2.2 peak, 0.9	9 average	
M6 Models re	M6 Models requiring LED Flasher (purchased separately)  Alterna					
M6*S	Warning	A, B, R, W	Color	1.1 peak, 0.45 averag		
M6*CS		A, B, R, W	Clear			
M6 Utility Lig	ghtheads					
M6BTT	Brake/Tail/Turn	R	Color	Brake/Turn - 0 Tail - 0.06		
M6T	Amber Turn Signal	Α		0.75 average		
M6BUW	Back-Up Light	W	Clear	1.6 ave	rage	
M6ZC	Gradient Scenelight	W	Olean	2.0 ave	rage	
M6 Series Options						
M6FC	Flange					
M6FB	Flange					
M6FCV2	Flange for 2 Lamps,					
M6FCV3	Flange for 3 Lamps, Vertical					
M6FCV4	Flange for 4 Lamps, \	Chrome				
M6FC600	Flange adapts M6 to 600 Series mounting					
M6HDLMTK	Headlight Mount Kit for ATI & KD with hardware					
M6BRUSH	Brush guard					
6BKT1	"L" Bracket Push Bumper Mount Kit				Black	
6BKT2	Angled Bracket Push Bumper Mount Kit					
M6P15C	15° Angled Surface Mount Housing					
M6P15B						
M6PTM5F	Front Light Pod for 8 Lightheads, 2015-2018 Ford Transit, Medium Roof				Black,	
M6PT5R	Rear 2 Piece Light Pod for 6 Lightheads, 2015-2017 Ford Transit, Medium or High Roof				paintable to match vehicle	
M6PTH5F	Front Light Pod for 8 Lightheads, 2015-18 Ford Transit, High Roof				. 3111010	
M6WLENX	Replace Clear Lens w	ith a Smoked L	ens, M6 Warnir	ng Models Only		

#### MODELS

Model	Туре	Color	Lens		Amp Draw	
M7 Series with Internal Flasher & Synchronize Feature						
M7*		A, B, R, W	Color	Simultaneous:		
M7*C	Warning	A, B, R				
M7#	warming	Split R/W, R/B, R/A, A/W	Clear	2.5	peak, 0.9 average	
M7 Models requiring LED Flasher (purchased separately)  Alternating: 1.125 peak, 0.45						
M7*S	Warning	A, B, R, W	Color	average		
M7*CS	Warning	A, B, R, W	Clear			
M7 Utility Lightheads						
M7ZC	Gradient Scenelight	Gradient Scenelight W Clear 2.			2.25 average	
M7 Series Options					Color	
M7FC	Flange	Flange			Chrome	
M7FB	Flange				Black	
M7FC700	Polished Aluminum Flange				Chrome	
M7BRUSH	Brush guard				Black	
M7BKT1	Universal Mounting Bracket for one light				Diack	
M7WLENX	Replace Clear Lens with a Smoked Lens, for M7 Warning Models only					

Replace \* symbol in model number with letter indicating color desired: A=Amber, B=Blue, C= Clear/White, R=Red Replace # symbol in model number with letter indicating split color desired: D=Red/White, E=Blue/White, F=Amber/White, J=Red/Blue, K=Red/Amber, M=Blue/Amber



#### M6 Series

- Solid color models have 159 Scan-Lock™ flash patterns
- Split color models have 64 Scan-Lock flash patterns
- Available in warning, brake/tail/turn, turn, back-up, and scene light models
- Front or rear lighbar pods house multiple M6 lightheads for the 2015-2018 Ford Transit Medium or High Roof
- Size with flange: 4.31" (109mm) H x 1.40" (36mm) D x 6.70" (170mm) L





### M7 Series

- Solid color models have 159 Scan-Lock flash patterns
- Split color models have 64 Scan-Lock flash patterns
- Available in warning & Scenelight models
- Size with flange: 3.38" (86mm) H x 1.40" (36mm) D x 7.64" (194mm) L



WARNING: These products may contain chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information. visit whelen.com/regulatory.





















#### M9 Series

- Solid color models have 159 Scan-Lock™ flash patterns
- Split color models have 64 Scan-Lock flash patterns
- Available in warning, brake/tail/turn, turn, back-up, and scenelight models
- Size with flange: 6.51" (165mm) H x 1.40" (36mm) D x 10.34" (263mm) L









M9RCZ

M9BUW



M92E



M9JCZ

## MODELS

Model	Туре	Color	Lens	Am	np Draw			
M9 Series with Internal Flasher & Synchronize Feature								
M9*	Warning	A, B, R, W	Color					
M9*C	0	A, B, R	01	Sim	ultaneous:			
M9#	Warning, Side-By-Side	Split R/W, R/B, R/A	Clear	3.0 peal	k, 1.2 average			
M9 Models re	ernating: k, 0.6 average							
M9*S	Warning	A, B, R, W	Color	1.2 μεαι	N, O.O average			
M9*CS		A, B, R, W	Clear					
M9 DUO™ Se	M9 DUO™ Series, Scan-Lock, Low Power							
M92#	DUO Warning	R/B, R/W, B/A, B/W, A/W	Color	2.4 amps per color				
Combo Warn	ing/Scenelight, Scan	ı-Lock, Synchı	onize Fea	ture & Hi/L	.ow			
M9*CZ	Combination Warning/Scenelight	A/W, R/W, B/W, W/W		Warning - 1.58 average Scenelight - 1.53 average				
M9JCZ	DUO Combination Warning/Scenelight	R/B	Clear	pe	- 1.58 average er color t - 1.53 average			
M9 Utility Lig	htheads			Cooriongii	1.00 avorago			
M9LZC	Scenelight, includes Flange	W	Clear	6.0 average				
M9BTTX	Brake/tail/turn	R	Color	Brake/Turn - 0.75 average Tail - 0.55 average				
М9Т	Amber turn signal	Α	00101	1.2 average				
M9BUW	Back-up light	W		1.8 average				
M9LZC	Scenelight	W	Clear	6.0 average				
M9 Options	Description	ı			Color / Type			
M9FC	Flange				Chrome			
M9FB	Flange				Black			
M9FC900	Flange adapts M9 Warr	ning to 900 Serie	s mount		Chrome			
M9FCZ900	Flange adapts M9 Scer	Chrome						
M9VFC900	Flange adapts M9V to 9	Chrome						
M9BRUSH	Brush quard	Black						
M9WLENX	Replace Clear Lens wit	Smoked Lens						
M9HTM5FC	Front Driver and Passenger Side of the 2015-2018 Ford Transit Medium Roof, sold in pairs, lightheads purchased separately							
M9HTM5RC	Rear Driver and Passenger Side of the 2015-2018 Ford Transit Medium Roof, sold in pairs, lightheads purchased separately				Chrome-Plated			
M9HTH5FC	Front Driver and Passenger Side of the 2015-2018 Ford Transit High Roof, sold in pairs, lightheads purchased separately				Housing			
M9HTH5RC	Rear Driver and Passenger Side of the 2015-2018 Ford Transit High Roof, sold in pairs, lightheads purchased separately							

Replace \* symbol in model number with letter indicating color desired: A=Amber, B=Blue, C= Clear/White, R=Red Replace # symbol in model number with letter indicating split color desired: D=Red/White, E=Blue/White, F=Amber/White, J=Red/Blue, K=Red/Amber, M=Blue/Amber

WARNING: These products may contain chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit whelen.com/regulatory.



51 Winthrop Road Chester, Connecticut 06412-0684 (860) 526-9504 www.whelen.com

