



**REMOVABLE &
PERMANENT ADD-ON
UNDERLIFT EXPERTS**



Proven

Zacklift™ has been chosen as the strongest, most valuable towing tool available, by the trucking fleets that keep America moving, and by the quality US truck manufacturers for use in the factories of Freightliner, Sterling and Navistar. Zacklift has earned the privilege of supplying equipment throughout the Middle East including Afghanistan. And it has beaten the challenge in the toughest proving grounds in the world, from Australia to Africa, and U.S. city governments, hauling fire trucks and garbage packers.



Scaling

No equipment of its kind will scale as well as Zacklift. The patented over-frame location of the Zacklift in both the FIFTHWHEELER™ and the Permanent mounting provides the greatest ability to carry payload successfully through the scales. Every inch the fork contact point is moved forward means revenue and safety. Focusing on a tight position to the rear axle during nearly 30 years of retrofit underreach experience has put Zacklift's engineering in the #1 position at the scales.



Calculate any truck's carrying capacity and learn more about scaling at www.zacklift.com

Removable

FIFTHWHEELER™

The FIFTHWHEELER transports everything a heavy duty tow truck can, at a fraction of the price. The damage-free towing package arrives Road-Ready for immediate use and has been engineered with Zacklift's trademark ruggedness to stand up to the demands of tower's day-in and day-out use and still outlast the truck. The FIFTHWHEELER drops into place on any tractor with no modifications and no welding. Move the FIFTHWHEELER from truck to truck if required and remove it with a drive off procedure just like a tractor. All semi trailer plugs are provided. Absolutely every possible hydraulic connection, mechanical assembly, and electrical connection has been factory completed and tested.



Visit www.zacklift.com for complete specifications on the only FIFTHWHEELER with optional Stifflegs, Winch and Custom Tool Boxes. View owner photos and mounting instructions.

Permanent

PERMANENT

When removing the Zacklift is not necessary, a Permanent mounting is the choice. Every element of the Permanent mounting has been carefully pre-engineered at the Zacklift factory. Self-installation is a common option, with excellent outcome every time. Any chassis make model or year, any bare frame or conventional wrecker can be transformed into a state-of-the-art transporter. Focused on one thing, retrofitting the world's best Underlift, Zacklift is the only choice for Permanently mounted transport equipment.



Visit www.zacklift.com for complete mounting instructions and owner photos.

Rating & Reach

➤ Every Zacklift Underlift rating is available in either the removable FIFTHWHEELER or the Permanent mounting style.

	Z18	Z30	Z303	Z402	Z403
Retracted lift rating	18,000	32,000	32,000	40,000	40,000
Extended lift rating	13,000	18,000	13,000	26,000	18,000
Tow rating	85,000	85,000	85,000	100,000	100,000
Retracted distance	49"	56"	60"	58"	67"
Reach	86"	100"	119"	103"	135"
Reach with 12" Reach Extensions	98"	112"	131"	115"	147"
App. reach, center of axles to forks	141"	155"	174"	158"	190"
Dist. from tailboard when stored	10"	11"	11"	12"	12"
Upward tilt, max lifting height	22 deg. 62"	22 deg. 65"	22 deg. 71"	22 deg. 68"	22 deg. 80"
Tilt below ground	8 deg. 11"	8 deg. 13"	8 deg. 15"	8 deg. 14"	8 deg. 21"
Tilt cylinder down stroke	17"	17"	17"	17"	17"
Weight Permanent Mount	1507	1688	1861	2678	3214
Weight Fifthwheeler	2402	2583	2756	3578	4109

Zacklift International, Inc.

1102 E 1st Street, Cle Elum, WA 98922

509 674 4426

509 674 5267 fax

www.zacklift.com



ZACKLIFT

See Zacklift's full range of
Stifflegs including the only
FIFTHWHEELER Legs at
www.zacklift.com

ZIP'S TRUCKTM
EQUIPMENT INC.
800-222-6047 www.zips.com