



| REVISION HISTORY | | |
|------------------|----------------------------------|------------|
| REV. | DESCRIPTION | DATE |
| 02 | CORRECTED SPECIFICATIONS | 2002-03-22 |
| A | INITIAL RELEASE PER P3# 01043 | 2002-04-01 |
| B | UPDATED DESCRIPTION PER CR #2419 | 2007-05-11 |

SPECIFICATIONS

- CERTIFICATIONS: **CE**; e; AMECA/ J1318 (MAY 1998), CLASS 2, YELLOW (AMBER) BLUE WHITE (CLEAR) RED COLORS
 Note: Unique components, accessories, and hardware kits are not typically included in the Product Certification Test Protocols. Unless otherwise specified, The Product Certifications referred to herein are predicated upon the base product model configuration.
- FLASH MODE: QUAD: 65 ± 5 FLASHES PER MINUTE
 DOUBLE: 65 ± 5 FLASHES PER MINUTE
- VOLTAGE (NOMINAL): 12 TO 24 VDC
- VOLTAGE (EXTREME): 10.0 TO 32.0 VDC
- CURRENT (NOMINAL): 2.1 A
- POWER (NOMINAL): 26 W
- TEMPERATURE: -22°F (-30°C) TO 122°F (50°C)
- CONNECTION: 2-16 AWG WIRES
- MOUNTING: FLANGE MOUNT, PIPE MOUNT
- BASE MATERIAL: ALUMINUM
- LENS MATERIAL: POLYCARBONATE
- PRODUCT WEIGHT: 1.5

NOTES:
 1. DIMENSIONS IN INCHES [MILLIMETERS (FOR REFERENCE)]

| SCALE 1:2 | | APPROVALS | DATE | | | | | | | | | | | | | | | | | | | |
|--|-----------------|----------------------|-----------------|--------|------|----------|----------|------------|----------|--------------|-----|------------|-----------|-----|-----|-----|-------------|-----|-----|-----|------------|--|
| CAD GENERATED DRAWING DO NOT MANUALLY UPDATE. MODEL REFERENCED: B+ | | DRAWN BY DJG | | | | | | | | | | | | | | | | | | | | |
| TOLERANCES ARE IN INCHES, TOLERANCES ARE: | | CHECKED | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>MILLIMETERS DECIMALS</th> <th>INCHES DECIMALS</th> <th>ANGLES</th> </tr> </thead> <tbody> <tr> <td>0.20</td> <td>>20-100</td> <td>>100-200</td> <td>>200</td> </tr> <tr> <td>XX ± 0.5</td> <td>0.7</td> <td>1.0</td> <td>2.0</td> </tr> <tr> <td>XXX ± 0.2</td> <td>0.3</td> <td>0.5</td> <td>1.0</td> </tr> <tr> <td>XX.XX ± 0.1</td> <td>0.2</td> <td>0.3</td> <td>0.6</td> </tr> </tbody> </table> | | MILLIMETERS DECIMALS | INCHES DECIMALS | ANGLES | 0.20 | >20-100 | >100-200 | >200 | XX ± 0.5 | 0.7 | 1.0 | 2.0 | XXX ± 0.2 | 0.3 | 0.5 | 1.0 | XX.XX ± 0.1 | 0.2 | 0.3 | 0.6 | MECH. ENG. | |
| MILLIMETERS DECIMALS | INCHES DECIMALS | ANGLES | | | | | | | | | | | | | | | | | | | | |
| 0.20 | >20-100 | >100-200 | >200 | | | | | | | | | | | | | | | | | | | |
| XX ± 0.5 | 0.7 | 1.0 | 2.0 | | | | | | | | | | | | | | | | | | | |
| XXX ± 0.2 | 0.3 | 0.5 | 1.0 | | | | | | | | | | | | | | | | | | | |
| XX.XX ± 0.1 | 0.2 | 0.3 | 0.6 | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>INCHES DECIMALS</th> <th>FRACTIONS</th> </tr> </thead> <tbody> <tr> <td>X ± .1</td> <td></td> </tr> <tr> <td>XX ± .01</td> <td></td> </tr> <tr> <td>XXX ± .005</td> <td></td> </tr> <tr> <td>XXXX ± .0030</td> <td></td> </tr> </tbody> </table> | | INCHES DECIMALS | FRACTIONS | X ± .1 | | XX ± .01 | | XXX ± .005 | | XXXX ± .0030 | | ELEC. ENG. | | | | | | | | | | |
| INCHES DECIMALS | FRACTIONS | | | | | | | | | | | | | | | | | | | | | |
| X ± .1 | | | | | | | | | | | | | | | | | | | | | | |
| XX ± .01 | | | | | | | | | | | | | | | | | | | | | | |
| XXX ± .005 | | | | | | | | | | | | | | | | | | | | | | |
| XXXX ± .0030 | | | | | | | | | | | | | | | | | | | | | | |
| THIRD ANGLE PROJECTION | | TEST ENG. | | | | | | | | | | | | | | | | | | | | |
| | | SALES | | | | | | | | | | | | | | | | | | | | |

| | | | |
|------------------------------------|-----------------------|--|--------------------------|
| ECCO [®] | | Electronic Controls Co. <i>An Employee Owned Company</i> 800-635-5900 P.O. BOX 7246, BOISE, ID 83707 | |
| STROBE, 360*, 12-24VDC, S/D | | | |
| CUSTOMER PART NO. 6650X | | PRODUCT SERIES: 6600 | |
| SIZE: A | DWG. NO. 6650X | REV. B | |
| SHEET 1 OF 1 | | Project: 01043 | Date Created: 2001-12-18 |

NON DISCLOSURE AGREEMENT
 THIS DRAWING AND THE DESIGN IT DISCLOSES ARE THE PRIVATE PROPERTY OF ECCO AND IS ISSUED IN CONFIDENCE FOR ENGINEERING INFORMATION ONLY. THE DRAWING AND / OR DESIGN MAY NOT BE USED, COPIED, REPRODUCED, OR OTHERWISE DISCLOSED IN PART OR AS A WHOLE TO OUTSIDERS OR USED FOR ANY OTHER PURPOSE WITHOUT THE PRIOR WRITTEN CONSENT OF ECCO. THE DRAWING IS SUBJECT TO RECALL AT ANY TIME. YOUR POSSESSION OF THIS DOCUMENT CONSTITUTES ACCEPTANCE OF THESE TERMS. © 2001 ECCO