

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR34100BEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 100'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR34100BLKEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 100'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR34100GEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 100'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR34100GNEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 100'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR341000EXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 100'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR34100REXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 100'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR34100YEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 100'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR34150BEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 150'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR34150BLKEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 150'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR34150GEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 150'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR34150GNEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 150'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR341500EXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 150'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR34150REXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 150'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR34150YEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 150'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR34200BEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 20'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR34200BLKEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 200'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR34200GEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 200'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR34200GNEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 200'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR342000EXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 200'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR34200REXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 200'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR34200YEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 200'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR34250BEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 200'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR34250BLKEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 250'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR34250GEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 250'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR34250GNEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 250'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR342500EXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 250'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR34250REXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 250'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR34250YEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 250'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR34300BEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 250'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR34300BLKEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 300'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR34300GEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 300'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR34300GNEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 300'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR343000EXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 300'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR34300REXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 300'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR34300YEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
3/4" x 300'	58,000 lbs.	64,400 lbs.	5:1	11,600 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR58100BEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 100'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR58100BLKEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 100'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR58100GEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 100'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR58100GNEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 100'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR581000EXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 100'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR58100REXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 100'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR58100YEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 100'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR58150BEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 150'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR58150BLKEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 150'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR58150GEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 150'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR58150GNEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 150'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR581500EXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 150'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR58150REXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 150'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR58150YEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 150'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR58200BEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 200'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR58200BLKEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 200'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR58200GEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 200'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR58200GNEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 200'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR582000EXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 200'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR58200REXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 200'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR58200YEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 200'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR58250BEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 25'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR58250BLKEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 250'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR58250GEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 250'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR58250GNEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 250'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR582500EXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 250'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR58250REXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 250'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR58250YEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 250'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR58300BEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 280'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR58300BLKEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 300'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR58300GEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 300'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR58300GNEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 300'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR583000EXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 300'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR58300REXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 300'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR58300YEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
5/8" x 300'	47,500 lbs.	52,800 lbs.	5:1	9,500 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR78100BEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 100'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR78100BLKEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 100'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR78100GEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 100'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR78100GNEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 100'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR781000EXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 100'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR78100REXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 100'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR78100YEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 100'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR78150BEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 150'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR78150BLKEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 150'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR78150GEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 150'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR78150GNEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 150'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR781500EXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 150'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR78150REXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 150'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR78150YEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 150'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR78200BEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 200'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR78200BLKEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 200'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR78200GEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 200'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR78200GNEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 200'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR782000EXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 200'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR78200REXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 200'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR78200YEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 200'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR78250BEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 250'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR78250BLKEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 250'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR78250GEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 250'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR78250GNEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 250'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR782500EXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 250'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR78250REXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 250'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR78250YEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 250'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR78300BEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 300'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR78300BLKEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 300'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR78300GEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 300'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR78300GNEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 300'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR783000EXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 300'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR78300REXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 300'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR78300YEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
7/8" x 300'	81,700 lbs.	90,800 lbs.	5:1	16,340 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR916100BEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
9/16" x 100'	36,500 lbs.	40,500 lbs.	5:1	7,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR916100BLKEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
9/16" x 100'	36,500 lbs.	40,500 lbs.	5:1	7,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR916100GEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
9/16" x 100'	36,500 lbs.	40,500 lbs.	5:1	7,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR916100GNEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
9/16" x 100'	36,500 lbs.	40,500 lbs.	5:1	7,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR9161000EXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
9/16" x 100'	36,500 lbs.	40,500 lbs.	5:1	7,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR916100REXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
9/16" x 100'	36,500 lbs.	40,500 lbs.	5:1	7,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR916100YEXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
9/16" x 100'	36,500 lbs.	40,500 lbs.	5:1	7,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR916150BEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
9/16" x 150'	36,500 lbs.	40,500 lbs.	5:1	7,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR916150BLKEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
9/16" x 150'	36,500 lbs.	40,500 lbs.	5:1	7,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR916150GEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
9/16" x 150'	36,500 lbs.	40,500 lbs.	5:1	7,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR916150GNEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
9/16" x 150'	36,500 lbs.	40,500 lbs.	5:1	7,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR9161500EXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
9/16" x 150'	36,500 lbs.	40,500 lbs.	5:1	7,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR916150REXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
9/16" x 150'	36,500 lbs.	40,500 lbs.	5:1	7,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR916150YEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
9/16" x 150'	36,500 lbs.	40,500 lbs.	5:1	7,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR916200BEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
9/16" x 200'	36,500 lbs.	40,500 lbs.	5:1	7,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR916200BLKEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
9/16" x 200'	36,500 lbs.	40,500 lbs.	5:1	7,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR916200GEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
9/16" x 200'	36,500 lbs.	40,500 lbs.	5:1	7,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR916200GNEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
9/16" x 200'	36,500 lbs.	40,500 lbs.	5:1	7,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR9162000EXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
9/16" x 200'	36,500 lbs.	40,500 lbs.	5:1	7,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR916200REXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
9/16" x 200'	36,500 lbs.	40,500 lbs.	5:1	7,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR916200YEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
9/16" x 200'	36,500 lbs.	40,500 lbs.	5:1	7,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR916250BEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
9/16" x 250'	36,500 lbs.	40,500 lbs.	5:1	7,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR916250BLKEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
9/16" x 250'	36,500 lbs.	40,500 lbs.	5:1	7,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR916250GEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
9/16" x 250'	36,500 lbs.	40,500 lbs.	5:1	7,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR916250GNEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
9/16" x 250'	36,500 lbs.	40,500 lbs.	5:1	7,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR9162500EXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
9/16" x 250'	36,500 lbs.	40,500 lbs.	5:1	7,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: SR916250REXT

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
9/16" x 250'	36,500 lbs.	40,500 lbs.	5:1	7,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR916250YEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
9/16" x 250'	36,500 lbs.	40,500 lbs.	5:1	7,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR916300BEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
9/16" x 300'	36,500 lbs.	40,500 lbs.	5:1	7,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR916300BLKEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
9/16" x 300'	36,500 lbs.	40,500 lbs.	5:1	7,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR916300GEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
9/16" x 300'	36,500 lbs.	40,500 lbs.	5:1	7,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR916300GNEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
9/16" x 300'	36,500 lbs.	40,500 lbs.	5:1	7,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR9163000EXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
9/16" x 300'	36,500 lbs.	40,500 lbs.	5:1	7,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR916300REXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
9/16" x 300'	36,500 lbs.	40,500 lbs.	5:1	7,300 lbs.

AmSteel-Blue Synthetic Winch Line Extension w/ Self-Locking Hook

Item #: **SR916300YEXT**

Size	Minimum Break Strength	Average Break Strength	Design Factor	Working Load Limit
9/16" x 300'	36,500 lbs.	40,500 lbs.	5:1	7,300 lbs.